

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD042924AR\
 Data File : FD047608.D
 Signal(s) : FID2B.ch
 Acq On : 29 Apr 2024 13:10
 Operator : YP/AJ
 Sample : 50 PPM AROMATIC HC STD2
 Misc :
 ALS Vial : 67 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Apr 29 15:19:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042924.M
 Quant Title : GC Extractables
 QLast Update : Mon Apr 29 15:18:46 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.461	7674714	50.000 ug/ml
Spiked Amount 50.000		Recovery =	100.00%
6) S 2-Fluorobiphenyl (SURR)	8.315	5222571	50.000 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	100.00%
11) S ortho-Terphenyl (SURR)	11.356	9010673	50.000 ug/ml
Spiked Amount 50.000		Recovery =	100.00%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.271	7929451	50.000 ug/ml
2) T Naphthalene (C11.7)	5.798	8377972	50.000 ug/ml
3) T 2-Methylnaphthalene (...)	6.848	8446067	50.000 ug/ml
5) T Acenaphthylene (C15.06)	8.118	7897716	50.000 ug/ml
7) T Acenaphthene (C15.5)	8.415	8265132	50.000 ug/ml
8) T Flouorene (C16.55)	9.193	8188532	50.000 ug/ml
9) T Phenanthrene (C19.36)	10.584	8172130	50.000 ug/ml
10) T Anthracene (C19.43)	10.659	7411009	50.000 ug/ml
12) T Fluoranthene (C21.85)	12.391	8139144	50.000 ug/ml
13) T Pyrene (C20.8)	12.686	7932325	50.000 ug/ml
14) T Benzo[a]anthracene (C...	14.554	7278914	50.000 ug/ml
15) T Chrysene (C27.41)	14.597	7691371	50.000 ug/ml
16) T benzo[b]fluoranthene ...	16.100	7390957	50.000 ug/ml
17) T Bnezo[k]fluoranthene ...	16.137	7292770	50.000 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.478	7126123	50.000 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.841	6885879	50.000 ug/ml
20) T Dibenz[a,h]anthracene...	17.880	6839242	50.000 ug/ml
21) T Benzo[g,h,i]perylene ...	18.096	6862298	50.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD042924AR\
Data File : FD047608.D
Signal(s) : FID2B.ch
Acq On : 29 Apr 2024 13:10
Operator : YP/AJ
Sample : 50 PPM AROMATIC HC STD2
Misc :
ALS Vial : 67 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Apr 29 15:19:39 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042924.M
Quant Title : GC Extractables
QLast Update : Mon Apr 29 15:18:46 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.271 min
Delta R.T.: 0.000 min
Response: 7929451
Conc: 50.00 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.798 min
Delta R.T.: 0.000 min
Response: 8377972
Conc: 50.00 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.848 min
Delta R.T.: 0.000 min
Response: 8446067
Conc: 50.00 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.461 min
Delta R.T.: 0.000 min
Response: 7674714
Conc: 50.00 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 7897716
Conc: 50.00 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.315 min
Delta R.T.: 0.000 min
Response: 5222571
Conc: 50.00 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.415 min
Delta R.T.: 0.000 min
Response: 8265132
Conc: 50.00 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.193 min
Delta R.T.: 0.000 min
Response: 8188532
Conc: 50.00 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.584 min
Delta R.T.: 0.000 min
Response: 8172130
Conc: 50.00 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.659 min
Delta R.T.: 0.000 min
Response: 7411009
Conc: 50.00 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.356 min
Delta R.T.: 0.000 min
Response: 9010673
Conc: 50.00 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.391 min
Delta R.T.: 0.000 min
Response: 8139144
Conc: 50.00 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.686 min
Delta R.T.: 0.000 min
Response: 7932325
Conc: 50.00 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.554 min
Delta R.T.: 0.000 min
Response: 7278914
Conc: 50.00 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.597 min
Delta R.T.: 0.000 min
Response: 7691371
Conc: 50.00 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.100 min
Delta R.T.: 0.000 min
Response: 7390957
Conc: 50.00 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.137 min
Delta R.T.: 0.000 min
Response: 7292770
Conc: 50.00 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.478 min
Delta R.T.: 0.000 min
Response: 7126123
Conc: 50.00 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.841 min
Delta R.T.: 0.000 min
Response: 6885879
Conc: 50.00 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.880 min
Delta R.T.: 0.000 min
Response: 6839242
Conc: 50.00 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.096 min
Delta R.T.: 0.000 min
Response: 6862298
Conc: 50.00 ug/ml

Instrument :

FID_D

ClientSampleId :