

rteres

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/06/2022
Supervised By :mohammad ahmed 05/09/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD05052
Data File : FD042305.D
Signal(s) : FID2B.CH
Acq On : 05 May 2022 11:39
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042122.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.161	4.131	4.381	BV	387032	3642204	94.99%	5.477%
2	5.681	5.655	6.111	BB	283703	3580403	93.38%	5.384%
3	6.727	6.698	6.912	PV	238768	3097493	80.79%	4.658%
4	7.338	7.281	7.695	BB	243693	3150085	82.16%	4.737%
5	7.988	7.955	8.157	BV	301212	3525964	91.96%	5.302%
6	8.189	8.157	8.255	VV	125005	1775549	46.31%	2.670%
7	8.280	8.255	8.591	VB	330911	3834185	100.00%	5.765%
8	9.059	9.023	9.261	BV	244920	3394030	88.52%	5.104%
9	10.444	10.403	10.496	BV	258917	3137025	81.82%	4.717%
10	10.520	10.496	10.870	VV	187967	3241305	84.54%	4.874%
11	11.211	11.170	11.283	BV	315866	3587045	93.55%	5.394%
12	12.246	12.130	12.414	BV	224276	3173720	82.77%	4.772%
13	12.539	12.500	12.790	VV	225165	3205712	83.61%	4.820%
14	14.409	14.373	14.429	VV	216460	2658278	69.33%	3.997%
15	14.449	14.429	14.830	VB	201189	3442327	89.78%	5.176%
16	15.955	15.911	15.969	M	234524	2827730	73.75%	4.252%
17	15.986	15.969	16.135	M	225103	3343619	87.21%	5.028%
18	16.334	16.270	16.425	VV	176097	2956312	77.10%	4.445%
19	17.699	17.663	17.717	BV	180744	2436807	63.55%	3.664%
20	17.736	17.717	17.907	VV	177871	3470693	90.52%	5.219%
21	17.948	17.907	18.103	VBA	180641	3022483	78.83%	4.545%
Sum of corrected areas:						66502970		

Aromatic EPH 042122.M Fri May 06 12:04:02 2022