

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD050724AR\
 Data File : FD047651.D
 Signal(s) : FID2B.ch
 Acq On : 07 May 2024 16:03
 Operator : YP/AJ
 Sample : P2391-04
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 PE-1

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/08/2024
 Supervised By :Ankita Jodhani 05/08/2024

Integration File: autoint1.e
 Quant Time: May 08 03:32:54 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042924.M
 Quant Title : GC Extractables
 QLast Update : Mon Apr 29 17:13:11 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.469	10323365	65.826 ug/mlm
Spiked Amount 50.000		Recovery =	131.65%
6) S 2-Fluorobiphenyl (SURR)	8.343	8978899	85.838 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	171.68%#

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD050724AR\
Data File : FD047651.D
Signal(s) : FID2B.ch
Acq On : 07 May 2024 16:03
Operator : YP/AJ
Sample : P2391-04
Misc :
ALS Vial : 62 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
PE-1


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/08/2024
Supervised By :Ankita Jodhani 05/08/2024

Integration File: autoint1.e
Quant Time: May 08 03:32:54 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042924.M
Quant Title : GC Extractables
QLast Update : Mon Apr 29 17:13:11 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.469 min
Delta R.T.: 0.011 min
Response: 10323365
Conc: 65.83 ug/ml

Instrument :
FID_D
ClientSampleId :
PE-1


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/08/2024
Supervised By :Ankita Jodhani 05/08/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.343 min
Delta R.T.: 0.031 min
Response: 8978899
Conc: 85.84 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 0.000 min
Exp R.T. : 11.350 min
Response: 0
Conc: N.D.