

rteres

Instrument :

FID_D

ClientSampleId :

PSC-124019MS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/17/2022

Supervised By :mohammad ahmed 05/17/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD05162
Data File : FD042477.D
Signal(s) : FID2B.CH
Acq On : 16 May 2022 16:28
Sample : N2847-01MS
Misc :
ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 042122.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.079	3.040	3.169	BB	292426	2545352	34.29%	1.492%
2	4.124	4.089	4.140	BV	383257	3384503	45.59%	1.983%
3	4.156	4.140	4.258	VB	400296	3727807	50.22%	2.185%
4	5.673	5.639	5.834	BB	365786	4115868	55.44%	2.412%
5	6.117	6.079	6.209	BB	414881	4086463	55.05%	2.395%
6	6.718	6.681	6.894	BB	368591	4348073	58.57%	2.548%
7	7.330	7.274	7.505	BB	684468	7423675	100.00%	4.351%
8	7.893	7.849	7.956	BV	424432	4383484	59.05%	2.569%
9	7.980	7.956	8.125	VB	408140	4515274	60.82%	2.646%
10	8.180	8.139	8.248	BV	399867	4657926	62.74%	2.730%
11	8.273	8.248	8.404	VB	465566	5041141	67.91%	2.954%
12	9.052	8.994	9.194	BB	378879	4635784	62.45%	2.717%
13	9.305	9.274	9.354	VB	17833	206570	2.78%	0.121%
14	9.479	9.436	9.545	BB	413157	4540257	61.16%	2.661%
15	10.248	10.226	10.265	BB	2491	28462	0.38%	0.017%
16	10.438	10.369	10.491	BV	399550	4599291	61.95%	2.695%
17	10.513	10.491	10.682	VB	330951	4530747	61.03%	2.655%
18	10.908	10.873	10.977	BB	423299	4831161	65.08%	2.831%
19	11.022	10.977	11.087	BB	9667	162506	2.19%	0.095%
20	11.206	11.150	11.274	BB	508898	5406707	72.83%	3.169%
21	12.207	12.160	12.224	BV	384671	4624186	62.29%	2.710%
22	12.240	12.224	12.379	VB	351796	4466914	60.17%	2.618%
23	12.534	12.492	12.609	BV	363289	4398561	59.25%	2.578%
24	12.644	12.609	12.723	VB	336766	4065055	54.76%	2.382%
25	12.815	12.738	12.854	BV	379922	4567853	61.53%	2.677%
26	13.397	13.254	13.461	VB	364809	4546034	61.24%	2.664%
27	13.826	13.788	13.858	BV	5627	77604	1.05%	0.045%
28	14.406	14.369	14.427	BV	317028	3871045	52.14%	2.269%
29	14.447	14.427	14.469	VV	305147	3915531	52.74%	2.295%
30	14.492	14.469	14.573	VV	355224	4780939	64.40%	2.802%
31	14.886	14.799	14.958	BV	22459	486149	6.55%	0.285%
32	15.010	14.958	15.038	VV	2915	61437	0.83%	0.036%
33	15.050	15.038	15.077	VV	4014	50069	0.67%	0.029%
34	15.508	15.429	15.582	BB	324646	4216318	56.80%	2.471%
35	15.913	15.855	15.929	BV	2190	21065	0.28%	0.012%
36	15.957	15.929	15.973	VV	315032	3993186	53.79%	2.340%

					rters			
37	15.988	15.973	16.084	VV	323724	4319039	58.18%	2.531%
38	16.283	16.242	16.307	PV	4259	72487		
39	16.334	16.307	16.415	VV	235103	3676745	49.03%	2.531%
40	16.452	16.415	16.511	VV	300947	4140751	58.18%	2.531%
41	16.644	16.566	16.687	BV	5437	180408	2.16%	0.043%
42	16.735	16.687	16.760	PV	6186	128738	1.32%	0.057%
43	16.805	16.760	16.821	VV	3986	73456	0.99%	0.043%
44	16.843	16.821	16.874	VV	4067	80619	1.09%	0.047%
45	16.892	16.874	16.922	VV	5278	82636	1.11%	0.048%
46	17.201	17.178	17.249	BV	4352	72305	0.97%	0.042%
47	17.287	17.249	17.303	PV	4757	97910	1.32%	0.057%
48	17.335	17.303	17.387	VV	277275	3858448	51.97%	2.261%
49	17.703	17.662	17.720	BV	288738	3714164	50.03%	2.177%
50	17.739	17.720	17.855	VV	282757	4545087	61.22%	2.664%
51	17.954	17.894	18.105	VV	267579	4191533	56.46%	2.456%
52	18.160	18.105	18.232	PV	269661	3857331	51.96%	2.261%
53	18.549	18.443	18.608	BB	4986	160454	2.16%	0.094%
54	18.939	18.867	19.027	BB	226125	3435079	46.27%	2.013%
55	19.675	19.619	19.788	BB	213666	3160138	42.57%	1.852%
56	20.372	20.274	20.477	BB	189903	2912026	39.23%	1.707%
57	21.144	21.074	21.200	BBA	127060	2563214	34.53%	1.502%
Sum of corrected areas:						170635564		

Instrument :

FID_D

ClientSampleId :

PSC-124019MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/17/2022

Supervised By :mohammad ahmed 05/17/2022

Aliphatic EPH 042122.M Tue May 17 12:20:04 2022