

rteres

Instrument :

FID_D

ClientSampleId :

P-2MSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD05222
Data File : FD042614.D
Signal(s) : FID2B.CH
Acq On : 21 May 2022 21:34
Sample : N2982-02MSD
Misc :
ALS Vial : 67 Sample Multiplier: 1

Reviewed By :Yogesh Patel 05/23/2022
Supervised By :Ankita Jodhani 05/23/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 051922.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.085	3.047	3.181	BB	545242	4570326	61.09%	1.902%
2	4.125	4.086	4.141	BV	588536	5184368	69.30%	2.158%
3	4.157	4.141	4.268	VB	652242	5924147	79.19%	2.465%
4	5.672	5.637	5.769	BV	579381	6150846	82.22%	2.560%
5	5.786	5.769	5.822	VB	2822	57058	0.76%	0.024%
6	6.115	6.072	6.200	BB	594770	5838334	78.04%	2.430%
7	6.632	6.600	6.680	BB	4187	62071	0.83%	0.026%
8	6.717	6.681	6.892	BB	566949	6336273	84.70%	2.637%
9	7.328	7.268	7.488	BB	704838	7481245	100.00%	3.113%
10	7.893	7.833	7.953	BV	582193	6143521	82.12%	2.557%
11	7.979	7.953	8.119	PB	607318	6262677	83.71%	2.606%
12	8.179	8.142	8.247	BV	412792	4684294	62.61%	1.949%
13	8.274	8.247	8.402	VB	643104	6879785	91.96%	2.863%
14	9.052	9.013	9.200	BB	591383	6597748	88.19%	2.746%
15	9.477	9.432	9.548	BB	601227	6567519	87.79%	2.733%
16	10.243	10.220	10.316	VB	5754	124974	1.67%	0.052%
17	10.439	10.383	10.490	BV	571820	6509280	87.01%	2.709%
18	10.515	10.490	10.692	VB	549851	6603492	88.27%	2.748%
19	10.908	10.866	10.973	BB	616623	6986247	93.38%	2.907%
20	11.205	11.161	11.277	BV	539907	6046237	80.82%	2.516%
21	12.207	12.148	12.224	BV	551898	6661541	89.04%	2.772%
22	12.243	12.224	12.381	VB	538066	6314848	84.41%	2.628%
23	12.537	12.488	12.595	BV	510561	6288874	84.06%	2.617%
24	12.643	12.595	12.730	VB	413508	4938153	66.01%	2.055%
25	12.814	12.764	12.878	BB	545516	6541910	87.44%	2.723%
26	13.397	13.358	13.456	VB	512917	6417646	85.78%	2.671%
27	13.822	13.771	13.895	BB	10845	198577	2.65%	0.083%
28	14.410	14.360	14.429	BV	469549	5803059	77.57%	2.415%
29	14.451	14.429	14.469	VV	466919	5702670	76.23%	2.373%
30	14.492	14.469	14.623	VB	509335	6824433	91.22%	2.840%
31	14.879	14.833	14.962	BB	11431	255084	3.41%	0.106%
32	15.507	15.451	15.573	BB	464240	6000620	80.21%	2.497%
33	15.961	15.859	15.976	BV	451893	6034712	80.66%	2.511%
34	15.993	15.976	16.113	VB	493226	6475944	86.56%	2.695%
35	16.337	16.288	16.415	BV	376167	5568559	74.43%	2.317%
36	16.450	16.415	16.548	VB	437543	6004207	80.26%	2.499%

rterres									
37	16.894	16.867	16.927	BB	3792	52314	0.70%	0.022%	
38	17.335	17.258	17.397	BV	399308	5728207	76		
39	17.710	17.647	17.725	BV	431464	5776585	77		
40	17.744	17.725	17.901	VB	439626	6559052	87		
41	17.962	17.910	18.103	BV	399259	5975439	79		
42	18.160	18.103	18.233	PV	391010	5660652	75		
43	18.548	18.447	18.583	BB	4300	123181	1.65%	0.051%	
44	18.939	18.708	18.995	BV	353310	5236966	70.00%	2.179%	
45	19.025	18.995	19.064	VB	2536	68944	0.92%	0.029%	
46	19.308	19.270	19.349	PB	2952	45847	0.61%	0.019%	
47	19.674	19.367	19.782	BV	325637	4917093	65.73%	2.046%	
48	19.810	19.782	19.842	VB	3077	57409	0.77%	0.024%	
49	20.025	19.849	20.049	BV	2331	662	0.01%	0.000%	
50	20.371	20.049	20.472	PV	280374	4592897	61.39%	1.911%	
51	20.493	20.472	20.504	VB	590	11403	0.15%	0.005%	
52	21.144	21.057	21.269	BV	207203	4436594	59.30%	1.846%	
Sum of corrected areas:					240284523				

Instrument :

FID_D

ClientSampleId :

P-2MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/23/2022
Supervised By :Ankita Jodhani 05/23/2022

Aliphatic EPH 051922.M Mon May 23 13:50:48 2022