

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD052223AR\
 Data File : FD045715.D
 Signal(s) : FID2B.ch
 Acq On : 22 May 2023 10:44
 Operator : YP/AJ
 Sample : 02837-01DL 10X
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WASTE-1DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/23/2023
 Supervised By :Ankita Jodhani 05/23/2023

Integration File: autoint1.e
 Quant Time: May 23 00:25:35 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 050523.M
 Quant Title : GC Extractables
 QLast Update : Fri May 05 18:09:33 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.543	1510533	8.856 ug/mlm
Spiked Amount 50.000		Recovery =	17.71%
6) S 2-Fluorobiphenyl (SURR)	8.397	1574983	13.699 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	27.40%
11) S ortho-Terphenyl (SURR)	11.440	2490629	11.797 ug/mlm
Spiked Amount 50.000		Recovery =	23.59%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD052223AR\
Data File : FD045715.D
Signal(s) : FID2B.ch
Acq On : 22 May 2023 10:44
Operator : YP/AJ
Sample : 02837-01DL 10X
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :

FID_D

ClientSampleId :

WASTE-1DL

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 05/23/2023

Supervised By :Ankita Jodhani 05/23/2023

Integration File: autoint1.e

Quant Time: May 23 00:25:35 2023

Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 050523.M

Quant Title : GC Extractables

QLast Update : Fri May 05 18:09:33 2023


Response via : Initial Calibration


Integrator: ChemStation

Volume Inj. : 1 µl

Signal Phase : Rxi-1ms

Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.543 min
Delta R.T.: 0.000 min
Response: 1510533
Conc: 8.86 ug/ml

Instrument :
FID_D
ClientSampleId :
WASTE-1DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/23/2023
Supervised By :Ankita Jodhani 05/23/2023



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.397 min
Delta R.T.: 0.000 min
Response: 1574983
Conc: 13.70 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.440 min
Delta R.T.: 0.003 min
Response: 2490629
Conc: 11.80 ug/ml m