

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD052225AR\
 Data File : FD049382.D
 Signal(s) : FID2B.ch
 Acq On : 22 May 2025 21:32
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Integration File: autoint1.e
 Quant Time: May 23 04:34:22 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 050125.M
 Quant Title : GC Extractables
 QLast Update : Thu May 01 13:29:48 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.736	2701318	22.782 ug/ml
Spiked Amount 50.000		Recovery =	45.56%
6) S 2-Fluorobiphenyl (SURR)	8.602	1845758	23.372 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	46.74%
11) S ortho-Terphenyl (SURR)	11.648	3231473	23.413 ug/ml
Spiked Amount 50.000		Recovery =	46.83%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.528	2627101	21.041 ug/ml
2) T Naphthalene (C11.7)	6.073	2878781	21.775 ug/ml
3) T 2-Methylnaphthalene (...)	7.127	2908524	22.546 ug/ml
5) T Acenaphthylene (C15.06)	8.406	3110332	22.033 ug/ml
7) T Acenaphthene (C15.5)	8.701	3086984	22.531 ug/ml
8) T Fluorene (C16.55)	9.483	3150247	23.144 ug/ml
9) T Phenanthrene (C19.36)	10.882	3044116	22.579 ug/ml
10) T Anthracene (C19.43)	10.956	2309578	19.528 ug/ml
12) T Fluoranthene (C21.85)	12.695	2966924	22.016 ug/ml
13) T Pyrene (C20.8)	12.994	2922842	21.607 ug/ml
14) T Benzo[a]anthracene (C...	14.865	2472729	21.587 ug/ml
15) T Chrysene (C27.41)	14.908	2548248	21.833 ug/ml
16) T benzo[b]fluoranthene ...	16.416	2521188	20.770 ug/ml
17) T Bnezo[k]fluoranthene ...	16.449	2447200	20.519 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.795	2224467	19.346 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.159	2162459	19.705 ug/ml
20) T Dibenz[a,h]anthracene...	18.199	2631049	24.912 ug/ml
21) T Benzo[g,h,i]perylene ...	18.415	2317097	19.444 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD052225AR\
Data File : FD049382.D
Signal(s) : FID2B.ch
Acq On : 22 May 2025 21:32
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Integration File: autoint1.e
Quant Time: May 23 04:34:22 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 050125.M
Quant Title : GC Extractables
QLast Update : Thu May 01 13:29:48 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

