

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD052324AR\
 Data File : FD047829.D
 Signal(s) : FID2B.ch
 Acq On : 23 May 2024 18:15
 Operator : YP/AJ
 Sample : P2560-07DL2 50X
 Misc :
 ALS Vial : 77 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 EXPE2DL2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/24/2024
 Supervised By :Ankita Jodhani 05/28/2024

Integration File: autoint1.e
 Quant Time: May 24 04:12:43 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052124.M
 Quant Title : GC Extractables
 QLast Update : Tue May 21 19:00:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.458	185923	1.324 ug/mlm
Spiked Amount 50.000		Recovery =	2.65%
6) S 2-Fluorobiphenyl (SURR)	8.313	41084	0.444 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	0.89%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD052324AR\
Data File : FD047829.D
Signal(s) : FID2B.ch
Acq On : 23 May 2024 18:15
Operator : YP/AJ
Sample : P2560-07DL2 50X
Misc :
ALS Vial : 77 Sample Multiplier: 1

Instrument :

FID_D

ClientSampleId :

EXPE2DL2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 05/24/2024

Supervised By :Ankita Jodhani 05/28/2024

Integration File: autoint1.e

Quant Time: May 24 04:12:43 2024

Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052124.M

Quant Title : GC Extractables

QLast Update : Tue May 21 19:00:48 2024


Response via : Initial Calibration


Integrator: ChemStation

Volume Inj. : 1 µl

Signal Phase : Rxi-1ms

Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.458 min
Delta R.T.: 0.000 min
Response: 185923
Conc: 1.32 ug/ml

Instrument :
FID_D
ClientSampleId :
EXPE2DL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/24/2024
Supervised By :Ankita Jodhani 05/28/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.313 min
Delta R.T.: -0.001 min
Response: 41084
Conc: 0.44 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 0.000 min
Exp R.T. : 11.350 min
Response: 0
Conc: N.D.