

rteres

Instrument :

FID_D

ClientSampleId :

PB145211BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD05312

Data File : FD042696.D

Signal(s) : FID2B.CH

Acq On : 31 May 2022 21:24

Sample : PB145211BSD

Misc :

ALS Vial : 56 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/01/2022

Supervised By :Ankita Jodhani 06/01/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 052722.M

Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.360	3.323	3.404	BB	636493	5253979	70.58%	2.070%
2	4.423	4.382	4.443	BV	640955	5647365	75.86%	2.225%
3	4.463	4.443	4.495	VB	713456	6225114	83.63%	2.453%
4	6.001	5.957	6.033	BV	753027	6950955	93.38%	2.739%
5	6.435	6.391	6.474	BB	649233	6280325	84.37%	2.475%
6	7.056	7.005	7.089	BB	740343	7070089	94.98%	2.786%
7	7.668	7.623	7.709	BB	712762	6911950	92.85%	2.724%
8	8.230	8.183	8.269	BB	632077	6545304	87.93%	2.579%
9	8.336	8.289	8.389	BB	703781	6969861	93.63%	2.747%
10	8.533	8.489	8.571	BB	470954	4775498	64.15%	1.882%
11	8.634	8.590	8.674	BB	739716	7393153	99.32%	2.913%
12	9.415	9.366	9.449	BB	703145	7438549	99.93%	2.931%
13	9.827	9.779	9.881	BB	605455	6737732	90.51%	2.655%
14	10.814	10.746	10.848	BV	676018	7444015	100.00%	2.934%
15	10.890	10.848	10.921	PB	700565	7349322	98.73%	2.896%
16	11.266	11.167	11.299	BB	618286	7073843	95.03%	2.788%
17	11.582	11.534	11.617	BB	639549	7019159	94.29%	2.766%
18	12.573	12.518	12.596	BV	583177	6933736	93.15%	2.732%
19	12.629	12.596	12.664	VB	620837	7304289	98.12%	2.878%
20	12.927	12.870	12.951	BV	622421	7291823	97.96%	2.874%
21	13.014	12.984	13.054	VB	473699	5595303	75.17%	2.205%
22	13.183	13.129	13.230	BB	577929	6915417	92.90%	2.725%
23	13.767	13.714	13.807	BB	550347	6895836	92.64%	2.717%
24	14.798	14.743	14.817	BV	505815	6714439	90.20%	2.646%
25	14.844	14.817	14.855	VV	602409	7330747	98.48%	2.889%
26	14.867	14.855	14.911	VB	547305	6192054	83.18%	2.440%
27	15.887	15.834	15.939	BB	506642	6727572	90.38%	2.651%
28	16.351	16.292	16.365	BV	441698	6406568	86.06%	2.525%
29	16.386	16.365	16.427	VB	538592	6300521	84.64%	2.483%
30	16.729	16.668	16.759	BV	429490	5616379	75.45%	2.213%
31	16.833	16.759	16.889	VB	490433	6529690	87.72%	2.573%
32	17.719	17.657	17.761	BB	452232	6214165	83.48%	2.449%
33	18.097	18.031	18.111	BV	393414	5854026	78.64%	2.307%
34	18.136	18.111	18.183	VB	417134	5578461	74.94%	2.198%
35	18.354	18.284	18.386	BB	404062	5674049	76.22%	2.236%
36	18.549	18.492	18.598	BB	428833	5885427	79.06%	2.319%

						rters		
37	19.329	19.255	19.380	BB	361098	5413894	72.73%	2.133%
38	20.067	19.925	20.140	BB	312738	4867227	65	
39	20.797	20.735	20.866	BB	247196	4288239	57	
40	21.698	21.617	21.786	BB	174699	4142728	55	

Sum of corrected areas: 2537

Instrument :
FID_D
ClientSampleId :
PB145211BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/01/2022
Supervised By :Ankita Jodhani 06/01/2022

Aliphatic EPH 052722.M Wed Jun 01 12:03:41 2022