

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060122AR\
 Data File : FD042720.D
 Signal(s) : FID2B.CH
 Acq On : 01 Jun 2022 14:43
 Operator : UA/NP
 Sample : PB145150BS
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jun 02 04:46:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.667	2541919	16.634 ug/ml
Spiked Amount 50.000		Recovery =	33.27%
6) S 2-Fluorobiphenyl (SURR)	8.533	3369921	32.767 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	65.53%
11) S ortho-Terphenyl (SURR)	11.586	8399578	47.315 ug/ml
Spiked Amount 50.000		Recovery =	94.63%
Target Compounds			
2) T Naphthalene (C11.7)	6.002	300049	1.735 ug/ml
3) T 2-Methylnaphthalene (...)	7.055	1391247	8.724 ug/ml
5) T Acenaphthylene (C15.06)	8.335	3837869	22.213 ug/ml
7) T Acenaphthene (C15.5)	8.632	4708385	27.364 ug/ml
8) T Flouorene (C16.55)	9.417	6616305	39.410 ug/ml
9) T Phenanthrene (C19.36)	10.818	8156229	49.600 ug/ml
10) T Anthracene (C19.43)	10.894	8187634	53.569 ug/ml
12) T Fluoranthene (C21.85)	12.635	8503601	53.975 ug/ml
13) T Pyrene (C20.8)	12.934	8408964	54.012 ug/ml
14) T Benzo[a]anthracene (C...	14.808	7853548	58.902 ug/ml
15) T Chrysene (C27.41)	14.808	7853548	59.443 ug/ml
16) T benzo[b]fluoranthene ...	16.361	7741934	58.116 ug/ml
17) T Bnezo[k]fluoranthene ...	16.361	7741934	62.507 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.741	6933955	56.023 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.110	7777505	69.777 ug/ml
20) T Dibenz[a,h]anthracene...	18.110	7777505	69.920 ug/ml
21) T Benzo[g,h,i]perylene ...	18.369	7406379	62.314 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060122AR\
Data File : FD042720.D
Signal(s) : FID2B.CH
Acq On : 01 Jun 2022 14:43
Operator : UA/NP
Sample : PB145150BS
Misc :
ALS Vial : 57 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jun 02 04:46:40 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#2 Naphthalene (C11.7)


R.T.: 6.002 min
Delta R.T.: -0.002 min
Response: 300049
Conc: 1.74 ug/ml

Instrument :
FID_D
ClientSampleId :




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 1391247
Conc: 8.72 ug/ml




#4 2-Bromonaphthalene (SURR)

R.T.: 7.667 min
Delta R.T.: 0.000 min
Response: 2541919
Conc: 16.63 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.335 min
Delta R.T.: 0.003 min
Response: 3837869
Conc: 22.21 ug/ml



#6 2-Fluorobiphenyl (SURR)


R.T.: 8.533 min
Delta R.T.: 0.004 min
Response: 3369921
Conc: 32.77 ug/ml

Instrument :
FID_D
ClientSampleId :




#7 Acenaphthene (C15.5)

R.T.: 8.632 min
Delta R.T.: 0.004 min
Response: 4708385
Conc: 27.36 ug/ml




#8 Flouorene (C16.55)

R.T.: 9.417 min
Delta R.T.: 0.007 min
Response: 6616305
Conc: 39.41 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.818 min
Delta R.T.: 0.012 min
Response: 8156229
Conc: 49.60 ug/ml



#10 Anthracene (C19.43)


R.T.: 10.894 min
Delta R.T.: 0.014 min
Response: 8187634
Conc: 53.57 ug/ml

Instrument :
FID_D
ClientSampleId :




#11 ortho-Terphenyl (SURR)

R.T.: 11.586 min
Delta R.T.: 0.009 min
Response: 8399578
Conc: 47.32 ug/ml




#12 Fluoranthene (C21.85)

R.T.: 12.635 min
Delta R.T.: 0.018 min
Response: 8503601
Conc: 53.98 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.934 min
Delta R.T.: 0.019 min
Response: 8408964
Conc: 54.01 ug/ml



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.808 min
Delta R.T.: 0.023 min
Response: 7853548
Conc: 58.90 ug/ml

Instrument :
FID_D
ClientSampleId :




#15 Chrysene (C27.41)

R.T.: 14.808 min
Delta R.T.: -0.017 min
Response: 7853548
Conc: 59.44 ug/ml




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.361 min
Delta R.T.: 0.029 min
Response: 7741934
Conc: 58.12 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.361 min
Delta R.T.: -0.002 min
Response: 7741934
Conc: 62.51 ug/ml



#18 Benzo[a]pyrene (C31.34)


R.T.: 16.741 min
Delta R.T.: 0.031 min
Response: 6933955
Conc: 56.02 ug/ml

Instrument :
FID_D
ClientSampleId :




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.110 min
Delta R.T.: 0.039 min
Response: 7777505
Conc: 69.78 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.110 min
Delta R.T.: -0.003 min
Response: 7777505
Conc: 69.92 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.369 min
Delta R.T.: 0.044 min
Response: 7406379
Conc: 62.31 ug/ml