

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060122AR\
 Data File : FD042726.D
 Signal(s) : FID2B.CH
 Acq On : 01 Jun 2022 18:59
 Operator : UA/NP
 Sample : N3069-02MSD
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 DISP-2-DMSD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/02/2022
 Supervised By :Ankita Jodhani 06/02/2022

Integration File: autoint1.e
 Quant Time: Jun 02 08:18:57 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.669	6441803	42.155 ug/ml
Spiked Amount 50.000		Recovery =	84.31%
6) S 2-Fluorobiphenyl (SURR)	8.534	3966450	38.567 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	77.13%
11) S ortho-Terphenyl (SURR)	11.585	7541385	42.481 ug/ml
Spiked Amount 50.000		Recovery =	84.96%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.460	3348483	20.000 ug/ml
2) T Naphthalene (C11.7)	6.002	4177889	24.164 ug/ml
3) T 2-Methylnaphthalene (...)	7.057	4989023	31.285 ug/ml
5) T Acenaphthylene (C15.06)	8.338	6241082	36.123 ug/ml
7) T Acenaphthene (C15.5)	8.634	6238919	36.259 ug/ml
8) T Flouorene (C16.55)	9.417	7682039	45.758 ug/ml
9) T Phenanthrene (C19.36)	10.817	7893262	48.001 ug/ml
10) T Anthracene (C19.43)	10.893	7500813	49.076 ug/ml
12) T Fluoranthene (C21.85)	12.634	7910471	50.210 ug/ml
13) T Pyrene (C20.8)	12.932	7503978	48.199 ug/ml
14) T Benzo[a]anthracene (C...	14.806	7237481	54.281 ug/ml
15) T Chrysene (C27.41)	14.851	7911039	59.878 ug/mlm
16) T benzo[b]fluoranthene ...	16.360	7065213	53.036 ug/ml
17) T Bnezo[k]fluoranthene ...	16.397	6830678	55.150 ug/mlm
18) T Benzo[a]pyrene (C31.34)	16.738	6261227	50.587 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.108	7083248	63.549 ug/ml
20) T Dibenz[a,h]anthracene...	18.148	6579937	59.153 ug/mlm
21) T Benzo[g,h,i]perylene ...	18.367	6601324	55.540 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

