

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060222AR\
 Data File : FD042755.D
 Signal(s) : FID2B.CH
 Acq On : 03 Jun 2022 4:38
 Operator : UA/NP
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/03/2022
 Supervised By :Ankita Jodhani 06/03/2022

Integration File: autoint1.e
 Quant Time: Jun 03 05:18:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.668	2825571	18.491 ug/ml
Spiked Amount 50.000		Recovery =	36.98%
6) S 2-Fluorobiphenyl (SURR)	8.533	1881622	18.296 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	36.59%
11) S ortho-Terphenyl (SURR)	11.583	3079129	17.345 ug/ml
Spiked Amount 50.000		Recovery =	34.69%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.460	3160954	18.880 ug/ml
2) T Naphthalene (C11.7)	6.003	3252625	18.813 ug/ml
3) T 2-Methylnaphthalene (...)	7.057	2961606	18.572 ug/ml
5) T Acenaphthylene (C15.06)	8.337	3094179	17.909 ug/ml
7) T Acenaphthene (C15.5)	8.633	3100347	18.018 ug/ml
8) T Flouorene (C16.55)	9.415	3027951	18.036 ug/ml
9) T Phenanthrene (C19.36)	10.815	2886112	17.551 ug/ml
10) T Anthracene (C19.43)	10.889	2602903	17.030 ug/ml
12) T Fluoranthene (C21.85)	12.630	2666406	16.925 ug/ml
13) T Pyrene (C20.8)	12.927	2607101	16.746 ug/ml
14) T Benzo[a]anthracene (C...	14.801	2451413	18.386 ug/ml
15) T Chrysene (C27.41)	14.844	2537559	19.207 ug/ml
16) T benzo[b]fluoranthene ...	16.354	2572038	19.307 ug/ml
17) T Bnezo[k]fluoranthene ...	16.387	2475385	19.986 ug/mlm
18) T Benzo[a]pyrene (C31.34)	16.733	2400825	19.397 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.099	2270018	20.366 ug/mlm
20) T Dibenz[a,h]anthracene...	18.139	2572909	23.130 ug/mlm
21) T Benzo[g,h,i]perylene ...	18.356	2399895	20.192 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060222AR\
Data File : FD042755.D
Signal(s) : FID2B.CH
Acq On : 03 Jun 2022 4:38
Operator : UA/NP
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/03/2022
Supervised By :Ankita Jodhani 06/03/2022

Integration File: autoint1.e
Quant Time: Jun 03 05:18:40 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

