

rters

Instrument :

FID_D

LabSampleId :

20 PPM AROMATIC HC STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/06/2022

Supervised By :Ankita Jodhani 06/06/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD06032
Data File : FD042764.D
Signal(s) : FID2B.CH
Acq On : 03 Jun 2022 11:22
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.459	4.381	4.521	BB	381812	3256183	96.75%	5.580%
2	6.001	5.935	6.085	BB	368103	3365681	100.00%	5.767%
3	7.055	7.018	7.121	PB	318357	3063982	91.04%	5.250%
4	7.666	7.625	7.721	BB	300307	2924440	86.89%	5.011%
5	8.334	8.301	8.391	BB	326503	3200754	95.10%	5.485%
6	8.531	8.501	8.598	BB	198456	1955517	58.10%	3.351%
7	8.631	8.598	8.698	BB	327976	3219124	95.65%	5.516%
8	9.412	9.201	9.449	BB	310281	3148647	93.55%	5.395%
9	10.812	10.766	10.855	VV	280415	3009217	89.41%	5.157%
10	10.886	10.855	10.931	VB	255868	2697732	80.15%	4.623%
11	11.580	11.525	11.631	BB	299005	3229529	95.95%	5.534%
12	12.627	12.589	12.675	VB	248974	2768353	82.25%	4.744%
13	12.925	12.888	12.955	BV	242829	2696426	80.12%	4.621%
14	14.798	14.745	14.818	PV	204916	2486223	73.87%	4.260%
15	14.840	14.818	14.898	VV	222215	2583656	76.76%	4.427%
16	16.351	16.268	16.367	BV	197486	2590902	76.98%	4.440%
17	16.383	16.367	16.431	VB	215403	2471202	73.42%	4.235%
18	16.729	16.691	16.771	PV	192812	2417145	71.82%	4.142%
19	18.096	18.038	18.114	BV	173420	2265972	67.33%	3.883%
20	18.137	18.114	18.182	VV	205894	2578659	76.62%	4.419%
21	18.351	18.291	18.381	BV	190655	2428373	72.15%	4.161%
Sum of corrected areas:						58357716		

Aromatic EPH 052722.M Mon Jun 06 10:07:53 2022