

rteres

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/08/2022
Supervised By :Ankita Jodhani 06/08/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD06072
Data File : FD042830.D
Signal(s) : FID2B.CH
Acq On : 08 Jun 2022 5:22
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.454	4.425	4.505	BB	407281	3492241	97.88%	5.765%
2	5.996	5.965	6.088	BB	385890	3568034	100.00%	5.890%
3	7.049	7.001	7.131	PB	339355	3241384	90.85%	5.350%
4	7.661	7.628	7.728	BB	317381	3090798	86.62%	5.102%
5	8.328	8.301	8.381	BB	344420	3357915	94.11%	5.543%
6	8.525	8.501	8.591	BB	202617	2021582	56.66%	3.337%
7	8.625	8.595	8.695	BB	342538	3377224	94.65%	5.575%
8	9.407	9.371	9.455	BB	330743	3272510	91.72%	5.402%
9	10.805	10.631	10.844	VV	291051	3105117	87.03%	5.126%
10	10.879	10.844	10.931	PV	267702	2784116	78.03%	4.596%
11	11.574	11.525	11.641	BB	312434	3353847	94.00%	5.536%
12	12.621	12.584	12.675	VB	258981	2837789	79.53%	4.684%
13	12.918	12.865	12.950	BV	253141	2769327	77.61%	4.571%
14	14.791	14.745	14.811	PV	207160	2530987	70.94%	4.178%
15	14.834	14.811	14.895	VB	226666	2543896	71.30%	4.199%
16	16.343	16.268	16.359	BV	199838	2649353	74.25%	4.373%
17	16.376	16.359	16.425	VB	213766	2518003	70.57%	4.156%
18	16.722	16.655	16.768	BV	201856	2524988	70.77%	4.168%
19	18.087	18.041	18.105	BV	186165	2389518	66.97%	3.944%
20	18.129	18.105	18.178	VV	200908	2601309	72.91%	4.294%
21	18.344	18.291	18.378	BV	199193	2551586	71.51%	4.212%
Sum of corrected areas:						60581521		

Aromatic EPH 052722.M Wed Jun 08 16:15:29 2022