

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060724AR\
 Data File : FD047887.D
 Signal(s) : FID2B.ch
 Acq On : 07 Jun 2024 19:33
 Operator : YP/AJ
 Sample : P2757-03
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 DUP-1

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/10/2024
 Supervised By :Ankita Jodhani 06/10/2024

Integration File: autoint1.e
 Quant Time: Jun 08 04:03:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052124.M
 Quant Title : GC Extractables
 QLast Update : Tue May 21 19:00:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.433	7109551	50.641 ug/mlm
Spiked Amount 50.000		Recovery =	101.28%
6) S 2-Fluorobiphenyl (SURR)	8.295	6971013	75.271 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	150.54%#
11) S ortho-Terphenyl (SURR)	11.376	12150508	75.995 ug/mlm
Spiked Amount 50.000		Recovery =	151.99%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD060724AR\
Data File : FD047887.D
Signal(s) : FID2B.ch
Acq On : 07 Jun 2024 19:33
Operator : YP/AJ
Sample : P2757-03
Misc :
ALS Vial : 66 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
DUP-1


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/10/2024
Supervised By :Ankita Jodhani 06/10/2024

Integration File: autoint1.e
Quant Time: Jun 08 04:03:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052124.M
Quant Title : GC Extractables
QLast Update : Tue May 21 19:00:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.433 min
Delta R.T.: -0.025 min
Response: 7109551
Conc: 50.64 ug/ml

Instrument :
FID_D
ClientSampleId :
DUP-1


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/10/2024
Supervised By :Ankita Jodhani 06/10/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.295 min
Delta R.T.: -0.019 min
Response: 6971013
Conc: 75.27 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.376 min
Delta R.T.: 0.027 min
Response: 12150508
Conc: 75.99 ug/ml m