

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD061224AR\
 Data File : FD047916.D
 Signal(s) : FID2B.ch
 Acq On : 12 Jun 2024 19:34
 Operator : YP/AJ
 Sample : PB146448BS
 Misc :
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jun 13 05:22:50 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052124.M
 Quant Title : GC Extractables
 QLast Update : Tue May 21 19:00:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.429	7162415	51.017 ug/ml
Spiked Amount 50.000		Recovery =	102.03%
6) S 2-Fluorobiphenyl (SURR)	8.281	4758922	51.386 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	102.77%
11) S ortho-Terphenyl (SURR)	11.320	6638691	41.521 ug/ml
Spiked Amount 50.000		Recovery =	83.04%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.245	6631180	41.986 ug/ml
2) T Naphthalene (C11.7)	5.768	7555409	46.288 ug/ml
3) T 2-Methylnaphthalene (...)	6.817	7910564	48.007 ug/ml
5) T Acenaphthylene (C15.06)	8.085	8209474	50.228 ug/ml
7) T Acenaphthene (C15.5)	8.381	8209144	50.276 ug/ml
8) T Flouorene (C16.55)	9.159	8349578	53.076 ug/ml
9) T Phenanthrene (C19.36)	10.548	8582844	55.658 ug/ml
10) T Anthracene (C19.43)	10.624	8645819	57.511 ug/ml
12) T Fluoranthene (C21.85)	12.355	9794659	64.543 ug/ml
13) T Pyrene (C20.8)	12.650	8883596	58.927 ug/ml
14) T Benzo[a]anthracene (C...	14.563	8198685	59.808 ug/ml
15) T Chrysene (C27.41)	14.608	1098756	7.458 ug/ml
16) T benzo[b]fluoranthene ...	16.103	8106968	57.602 ug/ml
17) T Bnezo[k]fluoranthene ...	16.103	8106968	59.532 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.444	7789842	56.278 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.847	7411908	64.294 ug/ml
20) T Dibenz[a,h]anthracene...	17.847	7411908	55.584 ug/ml
21) T Benzo[g,h,i]perylene ...	18.063	7510815	56.478 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD061224AR\
Data File : FD047916.D
Signal(s) : FID2B.ch
Acq On : 12 Jun 2024 19:34
Operator : YP/AJ
Sample : PB146448BS
Misc :
ALS Vial : 68 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jun 13 05:22:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052124.M
Quant Title : GC Extractables
QLast Update : Tue May 21 19:00:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.245 min
Delta R.T.: -0.027 min
Response: 6631180
Conc: 41.99 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.768 min
Delta R.T.: -0.029 min
Response: 7555409
Conc: 46.29 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.817 min
Delta R.T.: -0.029 min
Response: 7910564
Conc: 48.01 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.429 min
Delta R.T.: -0.029 min
Response: 7162415
Conc: 51.02 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.085 min
Delta R.T.: -0.029 min
Response: 8209474
Conc: 50.23 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.281 min
Delta R.T.: -0.033 min
Response: 4758922
Conc: 51.39 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.381 min
Delta R.T.: -0.027 min
Response: 8209144
Conc: 50.28 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.159 min
Delta R.T.: -0.030 min
Response: 8349578
Conc: 53.08 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.548 min
Delta R.T.: -0.031 min
Response: 8582844
Conc: 55.66 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.624 min
Delta R.T.: -0.031 min
Response: 8645819
Conc: 57.51 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.320 min
Delta R.T.: -0.030 min
Response: 6638691
Conc: 41.52 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.355 min
Delta R.T.: -0.032 min
Response: 9794659
Conc: 64.54 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.650 min
Delta R.T.: -0.030 min
Response: 8883596
Conc: 58.93 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.563 min
Delta R.T.: 0.012 min
Response: 8198685
Conc: 59.81 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.608 min
Delta R.T.: 0.018 min
Response: 1098756
Conc: 7.46 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.103 min
Delta R.T.: 0.006 min
Response: 8106968
Conc: 57.60 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.103 min
Delta R.T.: -0.025 min
Response: 8106968
Conc: 59.53 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.444 min
Delta R.T.: -0.033 min
Response: 7789842
Conc: 56.28 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.847 min
Delta R.T.: 0.006 min
Response: 7411908
Conc: 64.29 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.847 min
Delta R.T.: -0.037 min
Response: 7411908
Conc: 55.58 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.063 min
Delta R.T.: -0.025 min
Response: 7510815
Conc: 56.48 ug/ml

Instrument :

FID_D

ClientSampleId :