

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD061622AR\
 Data File : FD042944.D
 Signal(s) : FID2B.CH
 Acq On : 16 Jun 2022 15:42
 Operator : UA/NP
 Sample : N3334-17DL2 20X
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-14A-1A-11-GRDL2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/16/2022
 Supervised By :Ankita Jodhani 06/17/2022

Integration File: sample.E
 Quant Time: Jun 16 16:07:15 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.651	313817	2.054 ug/mlm
Spiked Amount 50.000		Recovery =	4.11%
6) S 2-Fluorobiphenyl (SURR)	8.515	197272	1.918 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	3.84%
11) S ortho-Terphenyl (SURR)	11.562	323050	1.820 ug/ml
Spiked Amount 50.000		Recovery =	3.64%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD061622AR\
Data File : FD042944.D
Signal(s) : FID2B.CH
Acq On : 16 Jun 2022 15:42
Operator : UA/NP
Sample : N3334-17DL2 20X
Misc :
ALS Vial : 63 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-14A-1A-11-GRDL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/16/2022
Supervised By :Ankita Jodhani 06/17/2022

Integration File: sample.E
Quant Time: Jun 16 16:07:15 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.651 min
Delta R.T.: -0.017 min
Response: 313817
Conc: 2.05 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-14A-1A-11-GRDL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/16/2022
Supervised By :Ankita Jodhani 06/17/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.515 min
Delta R.T.: -0.015 min
Response: 197272
Conc: 1.92 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.562 min
Delta R.T.: -0.014 min
Response: 323050
Conc: 1.82 ug/ml