

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062022AR\
 Data File : FD042973.D
 Signal(s) : FID2B.CH
 Acq On : 20 Jun 2022 15:53
 Operator : UA/NP
 Sample : N3213-03DL 10X
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 SW-W-B1DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/21/2022
 Supervised By :Ankita Jodhani 06/22/2022

Integration File: autoint1.e
 Quant Time: Jun 21 01:28:35 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.661	2331877	15.260 ug/mlm
Spiked Amount 50.000		Recovery =	30.52%
6) S 2-Fluorobiphenyl (SURR)	8.527	313029	3.044 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	6.09%
11) S ortho-Terphenyl (SURR)	11.577	449047	2.530 ug/mlm
Spiked Amount 50.000		Recovery =	5.06%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062022AR\
Data File : FD042973.D
Signal(s) : FID2B.CH
Acq On : 20 Jun 2022 15:53
Operator : UA/NP
Sample : N3213-03DL 10X
Misc :
ALS Vial : 58 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
SW-W-B1DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/21/2022
Supervised By :Ankita Jodhani 06/22/2022

Integration File: autoint1.e
Quant Time: Jun 21 01:28:35 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.661 min
Delta R.T.: -0.007 min
Response: 2331877
Conc: 15.26 ug/ml

Instrument :
FID_D
ClientSampleId :
SW-W-B1DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/21/2022
Supervised By :Ankita Jodhani 06/22/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.527 min
Delta R.T.: -0.002 min
Response: 313029
Conc: 3.04 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.577 min
Delta R.T.: 0.000 min
Response: 449047
Conc: 2.53 ug/ml m