

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062022AR\
 Data File : FD042981.D
 Signal(s) : FID2B.CH
 Acq On : 20 Jun 2022 22:10
 Operator : UA/NP
 Sample : N3213-08DL 10X
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 SW-W-FIDL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/23/2022
 Supervised By :Ankita Jodhani 06/23/2022

Integration File: autoint1.e
 Quant Time: Jun 21 01:30:22 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.662	2175875	14.239 ug/mlm
Spiked Amount 50.000		Recovery =	28.48%
6) S 2-Fluorobiphenyl (SURR)	8.527	437197	4.251 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	8.50%
11) S ortho-Terphenyl (SURR)	11.576	290365	1.636 ug/mlm
Spiked Amount 50.000		Recovery =	3.27%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062022AR\
Data File : FD042981.D
Signal(s) : FID2B.CH
Acq On : 20 Jun 2022 22:10
Operator : UA/NP
Sample : N3213-08DL 10X
Misc :
ALS Vial : 66 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
SW-W-FIDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/23/2022
Supervised By :Ankita Jodhani 06/23/2022

Integration File: autoint1.e
Quant Time: Jun 21 01:30:22 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.662 min
Delta R.T.: -0.006 min
Response: 2175875
Conc: 14.24 ug/ml

Instrument :
FID_D
ClientSampleId :
SW-W-F1DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/23/2022
Supervised By :Ankita Jodhani 06/23/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.527 min
Delta R.T.: -0.002 min
Response: 437197
Conc: 4.25 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.576 min
Delta R.T.: 0.000 min
Response: 290365
Conc: 1.64 ug/ml m