

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062322AR\
 Data File : FD043014.D
 Signal(s) : FID2B.CH
 Acq On : 23 Jun 2022 18:16
 Operator : UA/NP
 Sample : PB145771BL
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 PB145771BL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/24/2022
 Supervised By :Ankita Jodhani 06/24/2022

Integration File: autoint1.e
 Quant Time: Jun 24 02:18:58 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.650	6881474	45.033 ug/ml
Spiked Amount 50.000		Recovery =	90.07%
6) S 2-Fluorobiphenyl (SURR)	8.515	4564618	44.383 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	88.77%
11) S ortho-Terphenyl (SURR)	11.563	6349271	35.766 ug/ml
Spiked Amount 50.000		Recovery =	71.53%
Target Compounds			

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062322AR\
Data File : FD043014.D
Signal(s) : FID2B.CH
Acq On : 23 Jun 2022 18:16
Operator : UA/NP
Sample : PB145771BL
Misc :
ALS Vial : 58 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
PB145771BL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/24/2022
Supervised By :Ankita Jodhani 06/24/2022

Integration File: autoint1.e
Quant Time: Jun 24 02:18:58 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.650 min
Delta R.T.: -0.018 min
Response: 6881474
Conc: 45.03 ug/ml

Instrument :
FID_D
ClientSampleId :
PB145771BL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/24/2022
Supervised By :Ankita Jodhani 06/24/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.515 min
Delta R.T.: 0.000 min
Response: 4564618
Conc: 44.38 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.563 min
Delta R.T.: -0.013 min
Response: 6349271
Conc: 35.77 ug/ml