

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062322AR\
 Data File : FD043018.D
 Signal(s) : FID2B.CH
 Acq On : 23 Jun 2022 20:59
 Operator : UA/NP
 Sample : N3422-05D 10X
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-14A-1A-12-GR

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/24/2022
 Supervised By :Ankita Jodhani 06/24/2022

Integration File: autoint1.e
 Quant Time: Jun 24 02:19:56 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.643	716198	4.687 ug/mlm
Spiked Amount 50.000		Recovery =	9.37%
6) S 2-Fluorobiphenyl (SURR)	8.508	425835	4.141 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	8.28%
11) S ortho-Terphenyl (SURR)	11.557	814775	4.590 ug/mlm
Spiked Amount 50.000		Recovery =	9.18%
Target Compounds			

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062322AR\
Data File : FD043018.D
Signal(s) : FID2B.CH
Acq On : 23 Jun 2022 20:59
Operator : UA/NP
Sample : N3422-05D 10X
Misc :
ALS Vial : 62 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-14A-1A-12-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/24/2022
Supervised By :Ankita Jodhani 06/24/2022

Integration File: autoint1.e
Quant Time: Jun 24 02:19:56 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.643 min
Delta R.T.: -0.024 min
Response: 716198
Conc: 4.69 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-14A-1A-12-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/24/2022
Supervised By :Ankita Jodhani 06/24/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.508 min
Delta R.T.: -0.007 min
Response: 425835
Conc: 4.14 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.557 min
Delta R.T.: -0.019 min
Response: 814775
Conc: 4.59 ug/ml m