

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062322AR\
 Data File : FD043023.D
 Signal(s) : FID2B.CH
 Acq On : 24 Jun 2022 00:17
 Operator : UA/NP
 Sample : N3431-11 10X
 Misc :
 ALS Vial : 67 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-14B-2-3-GRDL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/07/2022
 Supervised By :Ankita Jodhani 07/07/2022

Integration File: autoint1.e
 Quant Time: Jun 24 02:21:03 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 01 10:34:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.644	604706	3.957 ug/mlm
Spiked Amount 50.000		Recovery =	7.91%
6) S 2-Fluorobiphenyl (SURR)	8.509	334625	3.254 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	6.51%
11) S ortho-Terphenyl (SURR)	11.557	515132	2.902 ug/ml
Spiked Amount 50.000		Recovery =	5.80%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062322AR\
Data File : FD043023.D
Signal(s) : FID2B.CH
Acq On : 24 Jun 2022 00:17
Operator : UA/NP
Sample : N3431-11 10X
Misc :
ALS Vial : 67 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-14B-2-3-GRDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/07/2022
Supervised By :Ankita Jodhani 07/07/2022

Integration File: autoint1.e
Quant Time: Jun 24 02:21:03 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 052722.M
Quant Title : GC Extractables
QLast Update : Wed Jun 01 10:34:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.644 min
Delta R.T.: -0.023 min
Response: 604706
Conc: 3.96 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-14B-2-3-GRDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/07/2022
Supervised By :Ankita Jodhani 07/07/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.509 min
Delta R.T.: -0.006 min
Response: 334625
Conc: 3.25 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.557 min
Delta R.T.: -0.020 min
Response: 515132
Conc: 2.90 ug/ml