

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062623AR\
 Data File : FD045972.D
 Signal(s) : FID2B.ch
 Acq On : 26 Jun 2023 19:25
 Operator : YP/AJ
 Sample : 03357-19
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-SCAN-04-G

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/27/2023
 Supervised By :Ankita Jodhani 06/27/2023

Integration File: autoint1.e
 Quant Time: Jun 27 02:47:45 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062423.M
 Quant Title : GC Extractables
 QLast Update : Sun Jun 25 04:38:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.519	7706613	35.762 ug/ml
Spiked Amount 50.000		Recovery =	71.52%
6) S 2-Fluorobiphenyl (SURR)	8.372	3205214	23.159 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	46.32%
11) S ortho-Terphenyl (SURR)	11.416	11537487	45.509 ug/mlm
Spiked Amount 50.000		Recovery =	91.02%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062623AR\
Data File : FD045972.D
Signal(s) : FID2B.ch
Acq On : 26 Jun 2023 19:25
Operator : YP/AJ
Sample : 03357-19
Misc :
ALS Vial : 22 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-SCAN-04-G


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/27/2023
Supervised By :Ankita Jodhani 06/27/2023

Integration File: autoint1.e
Quant Time: Jun 27 02:47:45 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062423.M
Quant Title : GC Extractables
QLast Update : Sun Jun 25 04:38:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.519 min
Delta R.T.: 0.000 min
Response: 7706613
Conc: 35.76 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-SCAN-04-G


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/27/2023
Supervised By :Ankita Jodhani 06/27/2023



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.372 min
Delta R.T.: -0.001 min
Response: 3205214
Conc: 23.16 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.416 min
Delta R.T.: 0.003 min
Response: 11537487
Conc: 45.51 ug/ml m