

rters

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/28/2022
Supervised By :Ankita Jodhani 06/28/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD06272
Data File : FD043057.D
Signal(s) : FID2B.ch
Acq On : 27 Jun 2022 12:09
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.430	4.401	4.508	BB	390143	3433588	94.64%	5.170%
2	5.969	5.904	6.094	BB	375744	3548933	97.82%	5.344%
3	7.021	6.971	7.134	PV	332106	3291768	90.73%	4.957%
4	7.632	7.564	7.788	BB	316298	3152050	86.88%	4.746%
5	8.298	8.258	8.394	BB	359871	3549008	97.82%	5.344%
6	8.495	8.461	8.563	BV	199805	2142484	59.05%	3.226%
7	8.594	8.563	8.704	VB	354625	3544667	97.70%	5.338%
8	9.375	9.334	9.554	BB	323209	3509034	96.72%	5.284%
9	10.772	10.684	10.815	BV	321213	3452914	95.17%	5.199%
10	10.847	10.815	11.031	VB	292566	3342050	92.11%	5.032%
11	11.540	11.504	11.598	BB	344808	3628199	100.00%	5.463%
12	12.585	12.551	12.708	VB	290051	3345537	92.21%	5.038%
13	12.882	12.847	12.920	M	284810	3288157	90.63%	4.951%
14	14.753	14.712	14.774	PV	241055	3102396	85.51%	4.672%
15	14.795	14.774	14.928	VB	261205	3130203	86.27%	4.713%
16	16.303	16.124	16.318	BV	226339	3064632	84.47%	4.615%
17	16.335	16.318	16.424	VB	253448	2948580	81.27%	4.440%
18	16.681	16.584	16.754	BV	225393	2898644	79.89%	4.365%
19	18.045	18.001	18.063	BV	193577	2562120	70.62%	3.858%
20	18.085	18.063	18.168	VB	211540	2766717	76.26%	4.166%
21	18.300	18.214	18.448	BB	196055	2707705	74.63%	4.077%
Sum of corrected areas:						66409387		

Aromatic EPH 062422.M Mon Jun 27 15:39:29 2022