

rters

Instrument :

FID_D

LabSampleId :

20 PPM AROMATIC HC STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/28/2022

Supervised By :Ankita Jodhani 06/28/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD06272
Data File : FD043081.D
Signal(s) : FID2B.ch
Acq On : 28 Jun 2022 07:34
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.430	4.401	4.518	BB	414951	3593906	97.54%	5.380%
2	5.969	5.938	6.108	BB	390688	3684381	100.00%	5.515%
3	7.022	6.981	7.138	PV	335812	3371220	91.50%	5.046%
4	7.632	7.534	7.748	BB	325633	3225500	87.55%	4.828%
5	8.299	8.248	8.401	BB	351652	3608896	97.95%	5.402%
6	8.495	8.454	8.564	BV	206492	2174851	59.03%	3.255%
7	8.594	8.564	8.627	VV	357406	3601959	97.76%	5.392%
8	9.376	9.324	9.521	BB	331232	3548689	96.32%	5.312%
9	10.773	10.688	10.818	BV	321176	3434182	93.21%	5.140%
10	10.848	10.818	11.034	VV	291978	3341673	90.70%	5.002%
11	11.538	11.501	11.584	BB	341934	3635890	98.68%	5.442%
12	12.585	12.548	12.704	PB	282748	3231055	87.70%	4.836%
13	12.882	12.840	12.911	M	277638	3149658	85.49%	4.715%
14	14.755	14.701	14.775	PV	237692	2947663	80.00%	4.412%
15	14.797	14.775	14.921	VB	247113	2995128	81.29%	4.483%
16	16.305	16.071	16.321	BV	225063	3008798	81.66%	4.504%
17	16.338	16.321	16.411	VB	247459	2855179	77.49%	4.274%
18	16.683	16.418	16.757	BV	222918	2853290	77.44%	4.271%
19	18.048	18.001	18.065	BV	200782	2674236	72.58%	4.003%
20	18.088	18.065	18.154	VV	225493	2912877	79.06%	4.360%
21	18.304	18.154	18.441	VV	216707	2958395	80.30%	4.428%
Sum of corrected areas:						66807424		

Aromatic EPH 062422.M Tue Jun 28 14:51:31 2022