

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062723AR\
 Data File : FD046013.D
 Signal(s) : FID2B.ch
 Acq On : 28 Jun 2023 01:00
 Operator : YP/AJ
 Sample : 03357-29DL 20X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jun 28 02:47:54 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062423.M
 Quant Title : GC Extractables
 QLast Update : Sun Jun 25 04:38:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.517	470731	2.184 ug/ml
Spiked Amount 50.000		Recovery =	4.37%
6) S 2-Fluorobiphenyl (SURR)	8.373	288476	2.084 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	4.17%
11) S ortho-Terphenyl (SURR)	11.410	733843	2.895 ug/ml
Spiked Amount 50.000		Recovery =	5.79%
Target Compounds			
12) T Fluoranthene (C21.85)	12.440	303399	1.483 ug/ml
13) T Pyrene (C20.8)	12.731	463919	2.386 ug/ml
14) T Benzo[a]anthracene (C...	14.603	455159	2.531 ug/ml
15) T Chrysene (C27.41)	14.649	533108	2.716 ug/ml
16) T benzo[b]fluoranthene ...	16.168	355498	1.895 ug/ml
17) T Bnezo[k]fluoranthene ...	16.168	355498	1.797 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.871	438221	2.355 ug/ml
20) T Dibenz[a,h]anthracene...	17.871	438221	2.384 ug/ml
21) T Benzo[g,h,i]perylene ...	18.122	424080	2.270 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062723AR\
Data File : FD046013.D
Signal(s) : FID2B.ch
Acq On : 28 Jun 2023 01:00
Operator : YP/AJ
Sample : 03357-29DL 20X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jun 28 02:47:54 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062423.M
Quant Title : GC Extractables
QLast Update : Sun Jun 25 04:38:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)


R.T.: 7.517 min
Delta R.T.: 0.000 min
Response: 470731
Conc: 2.18 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.373 min
Delta R.T.: 0.000 min
Response: 288476
Conc: 2.08 ug/ml




#11 ortho-Terphenyl (SURRE)

R.T.: 11.410 min
Delta R.T.: -0.003 min
Response: 733843
Conc: 2.89 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.440 min
Delta R.T.: -0.005 min
Response: 303399
Conc: 1.48 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.731 min
Delta R.T.: -0.008 min
Response: 463919
Conc: 2.39 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.603 min
Delta R.T.: 0.000 min
Response: 455159
Conc: 2.53 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.649 min
Delta R.T.: 0.003 min
Response: 533108
Conc: 2.72 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.168 min
Delta R.T.: 0.022 min
Response: 355498
Conc: 1.90 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.168 min
Delta R.T.: -0.012 min
Response: 355498
Conc: 1.80 ug/ml

Instrument :
FID_D
ClientSampleId :




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.871 min
Delta R.T.: -0.008 min
Response: 438221
Conc: 2.35 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.871 min
Delta R.T.: -0.050 min
Response: 438221
Conc: 2.38 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.122 min
Delta R.T.: -0.010 min
Response: 424080
Conc: 2.27 ug/ml