

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062822AR\
 Data File : FD043085.D
 Signal(s) : FID2B.ch
 Acq On : 28 Jun 2022 12:27
 Operator : YP/AJ
 Sample : N3494-24DL 5X
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 SP-EXC-1-3-GRDL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/29/2022
 Supervised By :Ankita Jodhani 06/29/2022

Integration File: autoint1.e
 Quant Time: Jun 29 02:48:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
 Quant Title : GC Extractables
 QLast Update : Sat Jun 25 04:47:50 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.631	1805264	11.691 ug/ml
Spiked Amount 50.000		Recovery =	23.38%
6) S 2-Fluorobiphenyl (SURR)	8.495	1036868	9.831 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	19.66%
11) S ortho-Terphenyl (SURR)	11.539	1390809	7.652 ug/mlm
Spiked Amount 50.000		Recovery =	15.30%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD062822AR\
Data File : FD043085.D
Signal(s) : FID2B.ch
Acq On : 28 Jun 2022 12:27
Operator : YP/AJ
Sample : N3494-24DL 5X
Misc :
ALS Vial : 55 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
SP-EXC-1-3-GRDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/29/2022
Supervised By :Ankita Jodhani 06/29/2022

Integration File: autoint1.e
Quant Time: Jun 29 02:48:40 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Quant Title : GC Extractables
QLast Update : Sat Jun 25 04:47:50 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.631 min
Delta R.T.: -0.008 min
Response: 1805264
Conc: 11.69 ug/ml

Instrument :
FID_D
ClientSampleId :
SP-EXC-1-3-GRDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/29/2022
Supervised By :Ankita Jodhani 06/29/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.495 min
Delta R.T.: -0.009 min
Response: 1036868
Conc: 9.83 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.539 min
Delta R.T.: -0.012 min
Response: 1390809
Conc: 7.65 ug/ml m