

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD063022AR\
 Data File : FD043132.D
 Signal(s) : FID2B.ch
 Acq On : 30 Jun 2022 19:57
 Operator : YP/AJ
 Sample : N3536-03
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 33698

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/01/2022
 Supervised By :Ankita Jodhani 07/01/2022

Integration File: autoint1.e
 Quant Time: Jul 01 04:03:55 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
 Quant Title : GC Extractables
 QLast Update : Sat Jun 25 04:47:50 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.632	9280265	60.102 ug/mlm
Spiked Amount 50.000		Recovery =	120.20%
6) S 2-Fluorobiphenyl (SURR)	8.495	6255285	59.306 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	118.61%
11) S ortho-Terphenyl (SURR)	11.539	8165411	44.927 ug/ml
Spiked Amount 50.000		Recovery =	89.85%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD063022AR\
Data File : FD043132.D
Signal(s) : FID2B.ch
Acq On : 30 Jun 2022 19:57
Operator : YP/AJ
Sample : N3536-03
Misc :
ALS Vial : 58 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
33698


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/01/2022
Supervised By :Ankita Jodhani 07/01/2022

Integration File: autoint1.e
Quant Time: Jul 01 04:03:55 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Quant Title : GC Extractables
QLast Update : Sat Jun 25 04:47:50 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.632 min
Delta R.T.: -0.007 min
Response: 9280265
Conc: 60.10 ug/ml

Instrument :
FID_D
ClientSampleId :
33698


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/01/2022
Supervised By :Ankita Jodhani 07/01/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.495 min
Delta R.T.: -0.009 min
Response: 6255285
Conc: 59.31 ug/ml



#11 ortho-Terphenyl (SURRE)

R.T.: 11.539 min
Delta R.T.: -0.012 min
Response: 8165411
Conc: 44.93 ug/ml