

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD070323AR\
 Data File : FD046065.D
 Signal(s) : FID2B.ch
 Acq On : 04 Jul 2023 11:07
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Integration File: sample.E
 Quant Time: Jul 05 01:37:58 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062423.M
 Quant Title : GC Extractables
 QLast Update : Sun Jun 25 04:38:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.515	4422833	20.524 ug/ml
Spiked Amount 50.000		Recovery =	41.05%
6) S 2-Fluorobiphenyl (SURR)	8.370	2804440	20.263 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.53%
11) S ortho-Terphenyl (SURR)	11.409	5127078	20.223 ug/ml
Spiked Amount 50.000		Recovery =	40.45%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.327	5288293	21.229 ug/ml
2) T Naphthalene (C11.7)	5.855	5299784	20.774 ug/ml
3) T 2-Methylnaphthalene (...)	6.904	5185214	20.569 ug/ml
5) T Acenaphthylene (C15.06)	8.174	4453294	20.503 ug/ml
7) T Acenaphthene (C15.5)	8.470	4804689	20.383 ug/ml
8) T Flouorene (C16.55)	9.249	4566357	20.182 ug/ml
9) T Phenanthrene (C19.36)	10.639	4271819	20.020 ug/ml
10) T Anthracene (C19.43)	10.712	3357024	21.127 ug/ml
12) T Fluoranthene (C21.85)	12.443	4050610	19.793 ug/ml
13) T Pyrene (C20.8)	12.738	3962059	20.377 ug/ml
14) T Benzo[a]anthracene (C...	14.602	3690206	20.519 ug/ml
15) T Chrysene (C27.41)	14.645	3915287	19.948 ug/ml
16) T benzo[b]fluoranthene ...	16.145	3965409	21.142 ug/ml
17) T Bnezo[k]fluoranthene ...	16.178	3917204	19.803 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.520	3831875	21.993 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.878	3854341	20.710 ug/ml
20) T Dibenz[a,h]anthracene...	17.919	3944220	21.453 ug/ml
21) T Benzo[g,h,i]perylene ...	18.132	3947047	21.124 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD070323AR\
Data File : FD046065.D
Signal(s) : FID2B.ch
Acq On : 04 Jul 2023 11:07
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Integration File: sample.E
Quant Time: Jul 05 01:37:58 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062423.M
Quant Title : GC Extractables
QLast Update : Sun Jun 25 04:38:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

