

rters

Instrument :
FID_D
ClientSampleId :
LOD-MDL-WATER-01-QT2-2022
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/06/2022
Supervised By :Ankita Jodhani 07/06/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD07052
Data File : FD043159.D
Signal(s) : FID2B.ch
Acq On : 05 Jul 2022 13:23
Sample : N3214-07
Misc : 4 PPM WATER LOD
ALS Vial : 57 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.422	4.401	4.472	BV	71912	636007	9.10%	2.051%
2	5.963	5.898	6.039	BV	72543	721455	10.32%	2.326%
3	7.015	6.941	7.111	BB	69739	711013	10.17%	2.293%
4	7.628	7.481	7.811	BB	692403	6865081	98.18%	22.138%
5	8.291	8.261	8.371	PB	70992	715349	10.23%	2.307%
6	8.491	8.424	8.561	BV	444298	4610168	65.93%	14.866%
7	8.587	8.561	8.691	VB	74415	779644	11.15%	2.514%
8	9.368	9.311	9.488	BB	59063	711701	10.18%	2.295%
9	10.764	10.651	10.814	BV	60484	694144	9.93%	2.238%
10	10.839	10.814	11.008	VB	55140	715911	10.24%	2.309%
11	11.537	11.492	11.594	PB	629473	6992620	100.00%	22.549%
12	12.575	12.547	12.678	VB	59348	729486	10.43%	2.352%
13	12.873	12.837	12.906	M	60034	738702	10.56%	2.382%
14	14.744	14.708	14.765	BV	52381	652162	9.33%	2.103%
15	14.785	14.765	14.941	VB	54575	841855	12.04%	2.715%
16	16.292	16.158	16.307	BV	49707	614200	8.78%	1.981%
17	16.323	16.307	16.378	VV	51764	689334	9.86%	2.223%
18	16.671	16.634	16.750	BV	40417	599107	8.57%	1.932%
19	18.033	18.001	18.054	BV	41558	568237	8.13%	1.832%
20	18.076	18.054	18.208	VB	46444	778007	11.13%	2.509%
21	18.286	18.211	18.381	BB	43579	646763	9.25%	2.086%
Sum of corrected areas:						31010947		

Aromatic EPH 062422.M Wed Jul 06 11:19:19 2022