

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD070622AR\
 Data File : FD043180.D
 Signal(s) : FID2B.ch
 Acq On : 06 Jul 2022 17:51
 Operator : YP/AJ
 Sample : N3564-34
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-16-2-3-GR

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/07/2022
 Supervised By :Ankita Jodhani 07/07/2022

Integration File: sample.E
 Quant Time: Jul 07 01:56:08 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
 Quant Title : GC Extractables
 QLast Update : Sat Jun 25 04:47:50 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.632	6865770	44.465 ug/mlm
Spiked Amount 50.000		Recovery =	88.93%
6) S 2-Fluorobiphenyl (SURR)	8.498	4533862	42.985 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	85.97%
11) S ortho-Terphenyl (SURR)	11.545	5643143	31.049 ug/ml
Spiked Amount 50.000		Recovery =	62.10%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD070622AR\
Data File : FD043180.D
Signal(s) : FID2B.ch
Acq On : 06 Jul 2022 17:51
Operator : YP/AJ
Sample : N3564-34
Misc :
ALS Vial : 62 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-16-2-3-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/07/2022
Supervised By :Ankita Jodhani 07/07/2022

Integration File: sample.E
Quant Time: Jul 07 01:56:08 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Quant Title : GC Extractables
QLast Update : Sat Jun 25 04:47:50 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.632 min
Delta R.T.: -0.008 min
Response: 6865770
Conc: 44.46 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-16-2-3-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/07/2022
Supervised By :Ankita Jodhani 07/07/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.498 min
Delta R.T.: -0.006 min
Response: 4533862
Conc: 42.99 ug/ml



#11 ortho-Terphenyl (SURRE)

R.T.: 11.545 min
Delta R.T.: -0.007 min
Response: 5643143
Conc: 31.05 ug/ml