

Instrument :
FID_D
ClientSampleId :
4MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
7/8/2021 4:43:50 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD070721AL\
Data File : FD038102.D
Signal(s) : FID2B.CH
Acq On : 08 Jul 2021 4:13
Sample : M2934-06MSD
Misc :
ALS Vial : 73 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 070621.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.260	3.225	3.345	BB	816898	6557620	83.45%	2.798%
2	4.305	4.272	4.323	BV	812489	6940317	88.33%	2.962%
3	4.342	4.323	4.386	VV	828781	7261148	92.41%	3.099%
4	5.866	5.835	5.915	BV	820160	7677051	97.70%	3.276%
5	5.930	5.915	6.008	VB	16498	230626	2.94%	0.098%
6	6.302	6.258	6.368	BB	757202	7236725	92.10%	3.088%
7	6.916	6.878	7.032	BB	741974	7349147	93.53%	3.136%
8	8.089	8.038	8.155	BB	714224	7309250	93.02%	3.119%
9	8.190	8.155	8.275	BB	757788	7564647	96.27%	3.228%
10	8.486	8.395	8.575	BB	772515	7857703	100.00%	3.353%
11	9.266	9.215	9.382	BB	701948	7444742	94.74%	3.177%
12	9.680	9.642	9.755	BB	672076	7223360	91.93%	3.083%
13	10.661	10.605	10.701	BV	656733	7089550	90.22%	3.025%
14	10.737	10.701	10.800	VV	645528	7075119	90.04%	3.019%
15	11.116	11.055	11.172	BV	659886	7348647	93.52%	3.136%
16	11.422	11.385	11.478	BB	321792	3396418	43.22%	1.449%
17	12.024	11.998	12.098	BB	16213	189184	2.41%	0.081%
18	12.419	12.375	12.442	BV	621394	7000041	89.09%	2.987%
19	12.472	12.442	12.555	VB	589076	6804568	86.60%	2.904%
20	12.768	12.728	12.800	BV	569682	6719447	85.51%	2.867%
21	12.856	12.829	12.932	VB	211813	2430239	30.93%	1.037%
22	13.028	12.988	13.105	BB	591699	6921535	88.09%	2.954%
23	13.611	13.572	13.688	BB	561059	6795588	86.48%	2.900%
24	13.843	13.785	13.908	BB	22220	320957	4.08%	0.137%
25	13.980	13.925	14.005	BV	21460	235993	3.00%	0.101%
26	14.030	14.005	14.054	PV	19854	251274	3.20%	0.107%
27	14.640	14.599	14.659	VV	465253	5926540	75.42%	2.529%
28	14.685	14.659	14.696	VV	535211	6460837	82.22%	2.757%
29	14.707	14.696	14.782	VB	518714	6007445	76.45%	2.564%
30	15.079	15.035	15.134	BV	15804	253403	3.22%	0.108%
31	15.725	15.568	15.802	BB	494225	6253636	79.59%	2.669%
32	16.192	16.142	16.207	BV	394176	5599907	71.27%	2.390%
33	16.226	16.207	16.302	VB	475355	5465694	69.56%	2.332%
34	16.572	16.528	16.628	PV	415428	5359947	68.21%	2.287%
35	16.668	16.628	16.698	VV	453737	5848557	74.43%	2.496%
36	17.552	17.475	17.602	BV	407872	5469553	69.61%	2.334%

rteres								
37	17.939	17.828	17.954	BV	351557	5087053	64.74%	2.171%
38	17.977	17.954	18.038	VB	408422	5188975	66.04%	2.214%
39	18.197	18.122	18.278	BB	377861	5203155	66.22%	2.220%
40	18.378	18.278	18.415	BV	374373	5068968	64.51%	2.163%
41	19.158	18.822	19.192	BV	340035	4702525	59.85%	2.007%
42	19.894	19.802	19.958	BB	304728	4444757	56.57%	1.897%
43	20.600	20.558	20.642	PV	273866	4228724	53.82%	1.805%
44	21.431	21.358	21.500	BBA	219908	4532515	57.68%	1.934%
Sum of corrected areas:						234333086		

Instrument :
FID_D
ClientSampleId :
4MSD

Manual Integrations
APPROVED

mohammad
7/8/2021 4:43:50 PM

Alaphatic EPH 070621.M Thu Jul 08 14:26:24 2021