

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD071422AR\
 Data File : FD043251.D
 Signal(s) : FID2B.ch
 Acq On : 14 Jul 2022 23:05
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 14 23:25:41 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
 Quant Title : GC Extractables
 QLast Update : Sat Jun 25 04:47:50 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.623	3528845	22.854 ug/ml
Spiked Amount 50.000		Recovery =	45.71%
6) S 2-Fluorobiphenyl (SURR)	8.485	2298702	21.794 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	43.59%
11) S ortho-Terphenyl (SURR)	11.531	4292798	23.619 ug/ml
Spiked Amount 50.000		Recovery =	47.24%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.417	4107564	24.457 ug/mlm
2) T Naphthalene (C11.7)	5.958	4086336	23.341 ug/ml
3) T 2-Methylnaphthalene (...)	7.011	3684560	22.908 ug/ml
5) T Acenaphthylene (C15.06)	8.288	3881190	21.835 ug/ml
7) T Acenaphthene (C15.5)	8.585	4014254	22.924 ug/ml
8) T Flouorene (C16.55)	9.366	3778816	21.800 ug/ml
9) T Phenanthrene (C19.36)	10.763	3641561	21.232 ug/ml
10) T Anthracene (C19.43)	10.837	2868241	16.883 ug/ml
12) T Fluoranthene (C21.85)	12.576	3583073	21.364 ug/ml
13) T Pyrene (C20.8)	12.872	3454730	21.199 ug/ml
14) T Benzo[a]anthracene (C...	14.744	3100527	19.965 ug/mlm
15) T Chrysene (C27.41)	14.787	3376052	21.390 ug/ml
16) T benzo[b]fluoranthene ...	16.296	3211151	21.066 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.328	3222837	22.020 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.673	2837683	19.839 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.038	2258769	18.050 ug/mlm
20) T Dibenz[a,h]anthracene...	18.078	3136132	23.328 ug/ml
21) T Benzo[g,h,i]perylene ...	18.292	2932056	22.480 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD071422AR\
Data File : FD043251.D
Signal(s) : FID2B.ch
Acq On : 14 Jul 2022 23:05
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 14 23:25:41 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Quant Title : GC Extractables
QLast Update : Sat Jun 25 04:47:50 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

