

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD071724AR\
 Data File : FD048066.D
 Signal(s) : FID2B.ch
 Acq On : 18 Jul 2024 10:35
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/18/2024
 Supervised By :Ankita Jodhani 07/19/2024

Integration File: autoint1.e
 Quant Time: Jul 18 15:33:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 13:13:15 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.407	2868583	19.301 ug/ml
Spiked Amount 50.000		Recovery =	38.60%
6) S 2-Fluorobiphenyl (SURR)	8.258	1887045	19.939 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.88%
11) S ortho-Terphenyl (SURR)	11.296	3210367	19.187 ug/ml
Spiked Amount 50.000		Recovery =	38.37%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.226	3219825	19.228 ug/ml
2) T Naphthalene (C11.7)	5.747	3369883	19.500 ug/ml
3) T 2-Methylnaphthalene (...)	6.794	3379452	19.481 ug/ml
5) T Acenaphthylene (C15.06)	8.061	3291548	19.207 ug/ml
7) T Acenaphthene (C15.5)	8.355	3325508	19.170 ug/ml
8) T Flouorene (C16.55)	9.134	3197182	19.685 ug/ml
9) T Phenanthrene (C19.36)	10.523	3112403	19.598 ug/ml
10) T Anthracene (C19.43)	10.597	2723768	17.250 ug/ml
12) T Fluoranthene (C21.85)	12.327	3115372	19.676 ug/ml
13) T Pyrene (C20.8)	12.621	3068211	19.403 ug/ml
14) T Benzo[a]anthracene (C...	14.490	2779273	20.357 ug/ml
15) T Chrysene (C27.41)	14.531	3042643	18.875 ug/ml
16) T benzo[b]fluoranthene ...	16.036	2881980	20.023 ug/ml
17) T Bnezo[k]fluoranthene ...	16.067	2836511	18.991 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.411	2814242	19.870 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.774	2449937	21.722 ug/mlm
20) T Dibenz[a,h]anthracene...	17.815	3090927	21.268 ug/ml
21) T Benzo[g,h,i]perylene ...	18.024	2848286	19.327 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD071724AR\
Data File : FD048066.D
Signal(s) : FID2B.ch
Acq On : 18 Jul 2024 10:35
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/18/2024
Supervised By :Ankita Jodhani 07/19/2024

Integration File: autoint1.e
Quant Time: Jul 18 15:33:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 13:13:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

