

rteres

Instrument :

FID_D

ClientSampleId :

PB146275BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 07/20/2022

Supervised By :mohammad ahmed 07/20/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD07192
Data File : FD043264.D
Signal(s) : FID2B.ch
Acq On : 19 Jul 2022 13:28
Sample : PB146275BS
Misc :
ALS Vial : 54 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.415	4.394	4.508	PH	420678	3754513	31.00%	3.500%
2	5.956	5.821	6.038	BV	486478	4518028	37.31%	4.212%
3	7.010	6.973	7.131	PV	482148	4838074	39.95%	4.510%
4	7.622	7.590	7.781	PV	575751	5892518	48.65%	5.493%
5	8.288	8.258	8.361	PV	529358	5225450	43.15%	4.872%
6	8.585	8.553	8.704	VV	533332	5449528	45.00%	5.080%
7	9.367	9.327	9.489	PV	531881	5729550	47.31%	5.342%
8	10.764	10.684	10.806	BV	528614	5820714	48.06%	5.426%
9	10.839	10.806	11.004	VV	496427	5766985	47.62%	5.376%
10	11.537	11.438	11.651	BV	1088386	12110826	100.00%	11.291%
11	12.578	12.546	12.724	VV	498572	5851388	48.32%	5.455%
12	12.874	12.834	12.903	M	488601	5703790	47.10%	5.317%
13	14.748	14.701	14.768	BV	389546	5028574	41.52%	4.688%
14	14.791	14.768	14.968	VV	432637	6131689	50.63%	5.716%
15	16.300	16.248	16.315	BV	348776	4871305	40.22%	4.541%
16	16.333	16.315	16.534	VB	396713	4894476	40.41%	4.563%
17	16.676	16.594	16.748	BV	310436	4137002	34.16%	3.857%
18	18.042	18.001	18.059	BV	275280	3758352	31.03%	3.504%
19	18.080	18.059	18.254	VV	253336	3679735	30.38%	3.431%
20	18.298	18.254	18.401	VBA	278579	4102167	33.87%	3.824%

Sum of corrected areas: 107264665

Aromatic EPH 062422.M Wed Jul 20 09:19:38 2022