

rters

Instrument :

FID_D

ClientSampleId :

PB146275BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 07/20/2022

Supervised By :mohammad ahmed 07/20/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD07192
Data File : FD043265.D
Signal(s) : FID2B.ch
Acq On : 19 Jul 2022 14:18
Sample : PB146275BSD
Misc :
ALS Vial : 55 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.415	4.394	4.504	PH	421185	3727445	31.18%	3.400%
2	5.956	5.824	6.038	BV	480220	4478767	37.46%	4.085%
3	7.010	6.973	7.151	PV	483614	4787644	40.05%	4.367%
4	7.622	7.590	7.774	PV	584468	5836835	48.83%	5.324%
5	8.288	8.258	8.360	PV	515585	5179465	43.33%	4.725%
6	8.585	8.553	8.706	VV	532212	5407119	45.23%	4.932%
7	9.367	9.331	9.491	PV	533066	5698215	47.67%	5.198%
8	10.765	10.674	10.806	BV	529655	5795108	48.48%	5.286%
9	10.840	10.806	11.004	VB	503629	5756589	48.15%	5.251%
10	11.537	11.441	11.658	BV	1082052	11954555	100.00%	10.905%
11	12.578	12.547	12.734	VV	510428	5862551	49.04%	5.348%
12	12.876	12.845	12.898	M	510592	5752237	48.12%	5.247%
13	14.749	14.698	14.769	BV	411768	5210887	43.59%	4.753%
14	14.792	14.769	15.001	VV	434685	6320158	52.87%	5.765%
15	16.300	16.241	16.316	BV	358409	5121987	42.85%	4.672%
16	16.334	16.316	16.531	VB	419252	5187138	43.39%	4.732%
17	16.677	16.601	16.751	BV	327999	4459143	37.30%	4.068%
18	18.044	18.001	18.060	BV	318311	4316237	36.11%	3.937%
19	18.082	18.060	18.251	VV	286734	4330658	36.23%	3.950%
20	18.299	18.251	18.401	VBA	310946	4445035	37.18%	4.055%

Sum of corrected areas: 109627775

Aromatic EPH 062422.M Wed Jul 20 09:20:19 2022