

rters

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Ankita Jodhani 07/20/2022
Supervised By :mohammad ahmed 07/20/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD07192
Data File : FD043284.D
Signal(s) : FID2B.ch
Acq On : 20 Jul 2022 06:03
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.418	4.391	4.511	BV	417709	3663209	93.25%	6.099%
2	5.957	5.768	6.098	BB	382836	3661951	93.22%	6.097%
3	7.010	6.968	7.128	PV	330435	3345379	85.16%	5.570%
4	7.622	7.521	7.788	BB	311357	3222288	82.03%	5.365%
5	8.287	8.231	8.401	PB	370834	3615129	92.03%	6.019%
6	8.485	8.411	8.552	BV	192551	2103996	53.56%	3.503%
7	8.583	8.552	8.745	VB	370051	3726939	94.87%	6.205%
8	9.365	9.121	9.541	BB	319202	3432043	87.36%	5.714%
9	10.762	10.730	10.807	VV	304089	3357068	85.46%	5.589%
10	10.836	10.807	11.015	VB	212814	2579277	65.66%	4.294%
11	11.530	11.448	11.608	BB	365312	3928398	100.00%	6.540%
12	12.575	12.537	12.725	VB	288190	3320371	84.52%	5.528%
13	14.744	14.708	14.764	PV	217677	2679952	68.22%	4.462%
14	14.786	14.764	14.955	VV	226043	2982151	75.91%	4.965%
15	16.295	16.251	16.311	BV	205089	2770307	70.52%	4.612%
16	16.327	16.311	16.471	VB	218208	2731789	69.54%	4.548%
17	16.673	16.591	16.754	BV	171405	2418778	61.57%	4.027%
18	18.037	18.001	18.055	BV	139127	1912775	48.69%	3.185%
19	18.076	18.055	18.248	VV	128773	2206900	56.18%	3.674%
20	18.290	18.248	18.401	PBA	161922	2406256	61.25%	4.006%

Sum of corrected areas: 60064955

Aromatic EPH 062422.M Wed Jul 20 09:33:54 2022