

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD071922AR\
 Data File : FD043279.D
 Signal(s) : FID2B.ch
 Acq On : 20 Jul 2022 02:15
 Operator : YP/AJ
 Sample : N3737-02
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 T-2

Manual Integrations
 APPROVED

Reviewed By :Ankita Jodhani 07/20/2022
 Supervised By :mohammad ahmed 07/20/2022

Integration File: autoint1.e
 Quant Time: Jul 20 03:37:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
 Quant Title : GC Extractables
 QLast Update : Sat Jun 25 04:47:50 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.624	7272860	47.101 ug/ml
Spiked Amount 50.000		Recovery =	94.20%
6) S 2-Fluorobiphenyl (SURR)	8.487	3960902	37.553 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	75.11%
11) S ortho-Terphenyl (SURR)	11.532	4209961	23.163 ug/mlm
Spiked Amount 50.000		Recovery =	46.33%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD071922AR\
Data File : FD043279.D
Signal(s) : FID2B.ch
Acq On : 20 Jul 2022 02:15
Operator : YP/AJ
Sample : N3737-02
Misc :
ALS Vial : 69 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
T-2


Manual Integrations
APPROVED

Reviewed By :Ankita Jodhani 07/20/2022
Supervised By :mohammad ahmed 07/20/2022

Integration File: autoint1.e
Quant Time: Jul 20 03:37:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Quant Title : GC Extractables
QLast Update : Sat Jun 25 04:47:50 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.624 min
Delta R.T.: -0.016 min
Response: 7272860
Conc: 47.10 ug/ml

Instrument :
FID_D
ClientSampleId :
T-2


Manual Integrations
APPROVED

Reviewed By :Ankita Jodhani 07/20/2022
Supervised By :mohammad ahmed 07/20/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.487 min
Delta R.T.: -0.017 min
Response: 3960902
Conc: 37.55 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.532 min
Delta R.T.: -0.020 min
Response: 4209961
Conc: 23.16 ug/ml m