

rters

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/21/2022
Supervised By :Ankita Jodhani 07/21/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD07202
Data File : FD043287.D
Signal(s) : FID2B.ch
Acq On : 20 Jul 2022 11:19
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062422.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.415	4.361	4.538	BB	445051	3979166	94.42%	5.663%
2	5.955	5.901	6.088	BB	409074	3977564	94.38%	5.660%
3	7.009	6.967	7.125	PV	359024	3621379	85.93%	5.153%
4	7.620	7.511	7.791	BB	342596	3503102	83.12%	4.985%
5	8.286	8.221	8.401	BB	382905	3897272	92.47%	5.546%
6	8.483	8.428	8.550	BV	212951	2277668	54.04%	3.241%
7	8.582	8.550	8.725	VB	391572	3997121	94.84%	5.688%
8	9.363	9.255	9.535	BB	336224	3757520	89.16%	5.347%
9	10.761	10.730	10.808	VV	324446	3636743	86.29%	5.175%
10	10.835	10.808	11.045	VB	245130	2869379	68.08%	4.083%
11	11.530	11.485	11.598	BB	387263	4214533	100.00%	5.998%
12	12.574	12.531	12.725	VB	315163	3595503	85.31%	5.117%
13	12.871	12.836	12.916	M	313788	3569029	84.68%	5.079%
14	14.744	14.702	14.764	PV	237362	3017953	71.61%	4.295%
15	14.786	14.764	15.005	VB	256141	3357625	79.67%	4.778%
16	16.295	16.178	16.310	BV	231900	3114285	73.89%	4.432%
17	16.326	16.310	16.475	VB	260255	3140351	74.51%	4.469%
18	16.673	16.631	16.752	BV	202861	2832541	67.21%	4.031%
19	18.037	18.001	18.055	BV	171141	2286027	54.24%	3.253%
20	18.077	18.055	18.251	VV	169663	2780284	65.97%	3.957%
21	18.292	18.251	18.461	VV	187487	2845866	67.53%	4.050%
Sum of corrected areas:						70270913		

Aromatic EPH 062422.M Thu Jul 21 13:26:42 2022