

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD080124AR\
Data File : FD048112.D
Signal(s) : FID2B.ch
Acq On : 01 Aug 2024 13:05
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Aug 02 04:26:48 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 13:13:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

Target Compounds

15) T	Chrysene (C27.41)	14.583	28808	0.179 ug/ml
16) T	benzo[b]fluoranthene ...	16.080	40760	0.283 ug/ml
17) T	Bnezo[k]fluoranthene ...	16.080	40760	0.273 ug/ml
19) T	Indeno[1,2,3-cd]pyren...	17.847	41247	0.366 ug/ml
20) T	Dibenz[a,h]anthracene...	17.847	41247	0.284 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD080124AR\
Data File : FD048112.D
Signal(s) : FID2B.ch
Acq On : 01 Aug 2024 13:05
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Aug 02 04:26:48 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 13:13:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)


R.T.: 0.000 min
Exp R.T. : 7.413 min
Response: 0
Conc: N.D.

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 0.000 min
Exp R.T. : 8.269 min
Response: 0
Conc: N.D.




#11 ortho-Terphenyl (SURRE)

R.T.: 0.000 min
Exp R.T. : 11.298 min
Response: 0
Conc: N.D.



#15 Chrysene (C27.41)


R.T.: 14.583 min
Delta R.T.: 0.046 min
Response: 28808
Conc: 0.18 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.080 min
Delta R.T.: 0.037 min
Response: 40760
Conc: 0.28 ug/ml

Instrument :
FID_D
ClientSampleId :




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.080 min
Delta R.T.: 0.004 min
Response: 40760
Conc: 0.27 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.847 min
Delta R.T.: 0.052 min
Response: 41247
Conc: 0.37 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.847 min
Delta R.T.: 0.003 min
Response: 41247
Conc: 0.28 ug/ml