

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD080124AR\
 Data File : FD048109.D
 Signal(s) : FID2B.ch
 Acq On : 01 Aug 2024 07:22
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/02/2024
 Supervised By :Ankita Jodhani 08/02/2024

Integration File: autoint1.e
 Quant Time: Aug 02 04:26:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 13:13:15 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.404	3039691	20.452 ug/ml
Spiked Amount 50.000		Recovery =	40.90%
6) S 2-Fluorobiphenyl (SURR)	8.255	2008018	21.217 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	42.43%
11) S ortho-Terphenyl (SURR)	11.292	3460239	20.681 ug/ml
Spiked Amount 50.000		Recovery =	41.36%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.223	3447463	20.588 ug/ml
2) T Naphthalene (C11.7)	5.744	3576308	20.695 ug/ml
3) T 2-Methylnaphthalene (...)	6.791	3578998	20.631 ug/ml
5) T Acenaphthylene (C15.06)	8.058	3461386	20.198 ug/ml
7) T Acenaphthene (C15.5)	8.352	3526427	20.328 ug/ml
8) T Flouorene (C16.55)	9.131	3423899	21.080 ug/ml
9) T Phenanthrene (C19.36)	10.519	3345617	21.066 ug/ml
10) T Anthracene (C19.43)	10.593	2606605	16.508 ug/ml
12) T Fluoranthene (C21.85)	12.324	3373995	21.310 ug/ml
13) T Pyrene (C20.8)	12.617	3331853	21.071 ug/ml
14) T Benzo[a]anthracene (C...	14.486	3014403	22.079 ug/ml
15) T Chrysene (C27.41)	14.528	3186098	19.764 ug/ml
16) T benzo[b]fluoranthene ...	16.033	3194040	22.191 ug/ml
17) T Bnezo[k]fluoranthene ...	16.065	3152562	21.108 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.409	3080307	21.748 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.773	2849900	25.268 ug/mlm
20) T Dibenz[a,h]anthracene...	17.811	3014541	20.742 ug/mlm
21) T Benzo[g,h,i]perylene ...	18.024	3143337	21.330 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD080124AR\
Data File : FD048109.D
Signal(s) : FID2B.ch
Acq On : 01 Aug 2024 07:22
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/02/2024
Supervised By :Ankita Jodhani 08/02/2024

Integration File: autoint1.e
Quant Time: Aug 02 04:26:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 13:13:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

