

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_D\Data\FD080723AR\  
 Data File : FD046286.D  
 Signal(s) : FID2B.ch  
 Acq On : 07 Aug 2023 17:07  
 Operator : YP/AJ  
 Sample : 03572-07  
 Misc : LOD 2.5 PPM  
 ALS Vial : 58 Sample Multiplier: 1

Instrument :  
 FID\_D  
 ClientSampleId :  
 LOD-MDL-WATER-01-QT3-2023

Integration File: autoint1.e  
 Quant Time: Aug 08 05:46:26 2023  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID\_D\methods\Aromatic EPH 071923.M  
 Quant Title : GC Extractables  
 QLast Update : Thu Jul 20 03:07:14 2023  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal Phase : Rxi-1ms  
 Signal Info : 20M x 0.18mm x 0.18µm

| Compound                           | R.T.   | Response   | Conc Units   |
|------------------------------------|--------|------------|--------------|
| -----                              |        |            |              |
| System Monitoring Compounds        |        |            |              |
| 4) S 2-Bromonaphthalene (S...      | 7.501  | 4911390    | 32.857 ug/ml |
| Spiked Amount 50.000               |        | Recovery = | 65.71%       |
| 6) S 2-Fluorobiphenyl (SURR)       | 8.355  | 3068581    | 32.780 ug/ml |
| Spiked Amount 50.000 Range 0 - 131 |        | Recovery = | 65.56%       |
| 11) S ortho-Terphenyl (SURR)       | 11.396 | 8318164    | 47.630 ug/ml |
| Spiked Amount 50.000               |        | Recovery = | 95.26%       |
| Target Compounds                   |        |            |              |
| 1) T 1,2,3-Trimethylbenzen...      | 4.313  | 409416     | 2.247 ug/ml  |
| 2) T Naphthalene (C11.7)           | 5.841  | 402283     | 2.227 ug/ml  |
| 3) T 2-Methylnaphthalene (...)     | 6.888  | 379437     | 2.156 ug/ml  |
| 5) T Acenaphthylene (C15.06)       | 8.158  | 333183     | 2.184 ug/ml  |
| 7) T Acenaphthene (C15.5)          | 8.452  | 370184     | 2.270 ug/ml  |
| 8) T Flouorene (C16.55)            | 9.231  | 326761     | 2.147 ug/ml  |
| 9) T Phenanthrene (C19.36)         | 10.619 | 305718     | 2.123 ug/ml  |
| 10) T Anthracene (C19.43)          | 10.694 | 272871     | 2.085 ug/ml  |
| 12) T Fluoranthene (C21.85)        | 12.422 | 313165     | 2.241 ug/ml  |
| 13) T Pyrene (C20.8)               | 12.716 | 318917     | 2.301 ug/ml  |
| 14) T Benzo[a]anthracene (C...     | 14.580 | 239967     | 1.828 ug/ml  |
| 15) T Chrysene (C27.41)            | 14.621 | 398261     | 2.825 ug/ml  |
| 16) T benzo[b]fluoranthene ...     | 16.119 | 236866     | 1.732 ug/ml  |
| 17) T Bnezo[k]fluoranthene ...     | 16.151 | 260736     | 1.902 ug/ml  |
| 18) T Benzo[a]pyrene (C31.34)      | 16.497 | 206886     | 1.589 ug/ml  |
| 19) T Indeno[1,2,3-cd]pyren...     | 17.853 | 147528     | 1.227 ug/ml  |
| 20) T Dibenz[a,h]anthracene...     | 17.898 | 174166     | 1.362 ug/ml  |
| 21) T Benzo[g,h,i]perylene ...     | 18.103 | 171604     | 1.353 ug/ml  |
| -----                              |        |            |              |

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_D\Data\FD080723AR\  
Data File : FD046286.D  
Signal(s) : FID2B.ch  
Acq On : 07 Aug 2023 17:07  
Operator : YP/AJ  
Sample : 03572-07  
Misc : LOD 2.5 PPM  
ALS Vial : 58 Sample Multiplier: 1

Instrument :  
FID\_D  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2023

Integration File: autoint1.e  
Quant Time: Aug 08 05:46:26 2023  
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID\_D\methods\Aromatic EPH 071923.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 20 03:07:14 2023  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal Phase : Rxi-1ms  
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.313 min  
Delta R.T.: -0.005 min  
Response: 409416  
Conc: 2.25 ug/ml

Instrument :  
FID\_D  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2023




#2 Naphthalene (C11.7)

R.T.: 5.841 min  
Delta R.T.: -0.005 min  
Response: 402283  
Conc: 2.23 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.888 min  
Delta R.T.: -0.006 min  
Response: 379437  
Conc: 2.16 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.501 min  
Delta R.T.: -0.005 min  
Response: 4911390  
Conc: 32.86 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.158 min  
Delta R.T.: -0.006 min  
Response: 333183  
Conc: 2.18 ug/ml

Instrument :  
FID\_D  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2023




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.355 min  
Delta R.T.: -0.005 min  
Response: 3068581  
Conc: 32.78 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.452 min  
Delta R.T.: -0.007 min  
Response: 370184  
Conc: 2.27 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.231 min  
Delta R.T.: -0.006 min  
Response: 326761  
Conc: 2.15 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.619 min  
Delta R.T.: -0.007 min  
Response: 305718  
Conc: 2.12 ug/ml

Instrument :  
FID\_D  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2023




#10 Anthracene (C19.43)

R.T.: 10.694 min  
Delta R.T.: -0.006 min  
Response: 272871  
Conc: 2.09 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.396 min  
Delta R.T.: -0.001 min  
Response: 8318164  
Conc: 47.63 ug/ml



#12 Fluoranthene (C21.85)

R.T.: 12.422 min  
Delta R.T.: -0.007 min  
Response: 313165  
Conc: 2.24 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.716 min  
Delta R.T.: -0.007 min  
Response: 318917  
Conc: 2.30 ug/ml

Instrument :

FID\_D


ClientSampleId :

LOD-MDL-WATER-01-QT3-2023




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.580 min  
Delta R.T.: -0.007 min  
Response: 239967  
Conc: 1.83 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.621 min  
Delta R.T.: -0.008 min  
Response: 398261  
Conc: 2.82 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.119 min  
Delta R.T.: -0.009 min  
Response: 236866  
Conc: 1.73 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.151 min  
Delta R.T.: -0.010 min  
Response: 260736  
Conc: 1.90 ug/ml

Instrument :  
FID\_D  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2023




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.497 min  
Delta R.T.: -0.006 min  
Response: 206886  
Conc: 1.59 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.853 min  
Delta R.T.: -0.006 min  
Response: 147528  
Conc: 1.23 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.898 min  
Delta R.T.: -0.004 min  
Response: 174166  
Conc: 1.36 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.103 min  
Delta R.T.: -0.009 min  
Response: 171604  
Conc: 1.35 ug/ml

Instrument :  
FID\_D  
ClientSampleId :  
LOD-MDL-WATER-01-QT3-2023