

Instrument :
FID_D
ClientSampleId :
PB138268BS

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
8/12/2021 11:55:28 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD081021AL\
Data File : FD038496.D
Signal(s) : FID2B.CH
Acq On : 11 Aug 2021 12:00
Sample : PB138268BS
Misc :
ALS Vial : 81 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 080321.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.201	3.171	3.275	BB	524395	4219849	34.76%	1.729%
2	4.254	4.195	4.272	BV	630593	5335676	43.95%	2.186%
3	4.291	4.272	4.337	VV	663532	5570700	45.89%	2.282%
4	5.818	5.751	5.868	BV	695599	6378828	52.55%	2.613%
5	6.255	6.218	6.321	BB	608337	5925709	48.82%	2.428%
6	6.870	6.831	6.981	BB	660940	6286320	51.79%	2.575%
7	7.480	7.398	7.558	BV	728423	6977091	57.48%	2.858%
8	8.044	7.981	8.108	BB	622227	6211590	51.17%	2.545%
9	8.144	8.115	8.208	BV	673204	6658342	54.85%	2.728%
10	8.343	8.308	8.405	BV	464356	4707920	38.78%	1.929%
11	8.440	8.405	8.468	VV	696039	7041359	58.01%	2.885%
12	9.221	9.165	9.338	BB	658726	6876526	56.65%	2.817%
13	9.635	9.595	9.711	BB	626020	6635999	54.67%	2.719%
14	10.617	10.558	10.661	BV	646351	6766803	55.74%	2.772%
15	10.693	10.661	10.737	VV	620333	6821680	56.20%	2.795%
16	11.071	11.033	11.128	VB	643388	7068638	58.23%	2.896%
17	11.378	11.338	11.435	BV	522820	5560766	45.81%	2.278%
18	12.375	12.330	12.399	PV	590573	6829930	56.26%	2.798%
19	12.430	12.399	12.521	VB	596322	6599031	54.36%	2.704%
20	12.727	12.678	12.758	BV	594213	6629477	54.61%	2.716%
21	12.814	12.758	12.878	VB	396145	4568977	37.64%	1.872%
22	12.984	12.908	13.055	BB	587242	6752202	55.62%	2.766%
23	13.567	13.528	13.645	VB	556822	6567999	54.11%	2.691%
24	14.601	14.541	14.621	BV	450582	5958320	49.08%	2.441%
25	14.648	14.621	14.735	VB	589217	12139038	100.00%	4.973%
26	15.684	15.475	15.725	BB	464207	6074343	50.04%	2.489%
27	16.158	16.091	16.174	BV	425128	6192398	51.01%	2.537%
28	16.192	16.174	16.258	VB	482880	5883493	48.47%	2.410%
29	16.539	16.492	16.585	VV	450688	5938389	48.92%	2.433%
30	16.627	16.585	16.695	VB	437617	5981242	49.27%	2.450%
31	17.512	17.427	17.549	VV	434982	5741432	47.30%	2.352%
32	17.912	17.841	17.926	VV	395979	5842550	48.13%	2.394%
33	17.946	17.926	18.021	VB	430612	5560199	45.80%	2.278%
34	18.340	18.205	18.401	VV	407178	5735396	47.25%	2.350%
35	19.120	18.985	19.194	VV	399135	6428349	52.96%	2.634%
36	19.856	19.623	19.982	VV	397993	10502846	86.52%	4.303%

						rters		
37	20.559	20.518	20.626	VV	336800	7157474	58.96%	2.932%
38	21.375	21.306	21.501	VBA	239591	5964465	49.13%	2.444%
						Sum of corrected areas:	244091346	

Alaphatic EPH 080321.M Wed Aug 11 15:47:58 2021

Instrument :
FID_D
ClientSampleId :
PB138268BS

Manual Integrations
APPROVED

mohammad
8/12/2021 11:55:28 AM