

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD081519AL\
 Data File : FD030095.D
 Signal(s) : FID2B.CH
 Acq On : 14 Aug 2019 22:21
 Operator : DD\AJ
 Sample : K4308-06
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Aug 15 07:37:05 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 080819.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 08 17:24:17 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.563	4471702	32.532 ug/ml
Spiked Amount 50.000		Recovery =	65.06%
12) S 1-chlorooctadecane (S...	12.988	3379200	29.628 ug/ml
Spiked Amount 50.000		Recovery =	59.26%
Target Compounds			
6) T n-Tetradecane (C14)	8.277f	177619	1.440 ug/ml
10) T n-Eicosane (C20)	12.602	195442	1.505 ug/ml
14) T n-Tetracosane (C24)	14.804	135554	1.033 ug/ml
18) T n-Dotriacontane (C32)	18.486	165736	1.478 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD081519AL\
Data File : FD030095.D
Signal(s) : FID2B.CH
Acq On : 14 Aug 2019 22:21
Operator : DD\AJ
Sample : K4308-06
Misc :
ALS Vial : 58 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Aug 15 07:37:05 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 080819.M
Quant Title : GC Extractables
QLast Update : Thu Aug 08 17:24:17 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#6 n-Tetradecane (C14)

R.T.: 8.277 min
Delta R.T.: 0.052 min
Response: 177619
Conc: 1.44 ug/ml




#9 ortho-Terphenyl (SURR)

R.T.: 11.563 min
Delta R.T.: -0.006 min
Response: 4471702
Conc: 32.53 ug/ml




#10 n-Eicosane (C20)

R.T.: 12.602 min
Delta R.T.: 0.049 min
Response: 195442
Conc: 1.51 ug/ml




#12 1-chlorooctadecane (SURR)

R.T.: 12.988 min
Delta R.T.: -0.006 min
Response: 3379200
Conc: 29.63 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.804 min
Delta R.T.: -0.033 min
Response: 135554
Conc: 1.03 ug/ml



#18 n-Dotriacontane (C32)

R.T.: 18.486 min
Delta R.T.: -0.012 min
Response: 165736
Conc: 1.48 ug/ml