

Instrument :
FID_D
ClientSampleId :
TP3-1-6FTMSD

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
8/17/2021 3:46:19 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD081621AL\
Data File : FD038570.D
Signal(s) : FID2B.CH
Acq On : 16 Aug 2021 18:43
Sample : M3404-07MSD
Misc :
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 080321.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.194	3.171	3.261	BB	401356	3214838	55.17%	1.729%
2	4.246	4.185	4.264	BV	443913	3888678	66.74%	2.091%
3	4.282	4.264	4.371	VB	465571	4033533	69.22%	2.169%
4	5.808	5.755	5.861	BV	517082	4754706	81.60%	2.557%
5	5.878	5.861	5.951	VB	13435	198765	3.41%	0.107%
6	6.247	6.208	6.311	BB	490780	4655227	79.89%	2.504%
7	6.859	6.825	6.971	BV	500075	4944227	84.85%	2.659%
8	7.470	7.408	7.568	BB	591924	5827010	100.00%	3.134%
9	8.034	7.968	8.091	BV	494861	5174290	88.80%	2.783%
10	8.132	8.091	8.228	PB	560093	5415696	92.94%	2.913%
11	8.331	8.295	8.396	BV	394141	3949387	67.78%	2.124%
12	8.428	8.396	8.548	VB	576647	5740860	98.52%	3.088%
13	9.208	9.171	9.328	BB	546377	5579072	95.75%	3.001%
14	9.625	9.581	9.675	BB	513262	5358350	91.96%	2.882%
15	10.602	10.548	10.647	BV	492644	5297070	90.91%	2.849%
16	10.678	10.647	10.745	VV	504181	5326459	91.41%	2.865%
17	11.060	10.895	11.125	BB	494692	5617194	96.40%	3.021%
18	11.365	11.328	11.441	BB	397746	4233305	72.65%	2.277%
19	12.363	12.278	12.386	BV	464742	5387981	92.47%	2.898%
20	12.414	12.386	12.528	VB	456029	5066686	86.95%	2.725%
21	12.710	12.668	12.748	BV	454208	5051790	86.70%	2.717%
22	12.801	12.748	12.830	VV	269352	3130055	53.72%	1.683%
23	12.971	12.931	13.007	BV	454012	5326704	91.41%	2.865%
24	13.555	13.517	13.601	PB	442719	5217846	89.55%	2.806%
25	13.981	13.941	14.051	BB	7335	106340	1.82%	0.057%
26	14.583	14.538	14.603	BV	367209	4456795	76.49%	2.397%
27	14.626	14.603	14.638	VV	368533	4435659	76.12%	2.386%
28	14.652	14.638	14.731	VB	412659	4899298	84.08%	2.635%
29	15.049	14.975	15.141	BV	10662	311285	5.34%	0.167%
30	15.670	15.511	15.715	BB	377247	4833868	82.96%	2.600%
31	16.138	16.096	16.153	VV	350764	4661195	79.99%	2.507%
32	16.170	16.153	16.261	VB	385238	4416638	75.80%	2.375%
33	16.517	16.468	16.575	BV	352477	4454891	76.45%	2.396%
34	16.613	16.575	16.711	VB	365846	4727373	81.13%	2.543%
35	17.496	17.425	17.538	BB	336787	4456117	76.47%	2.397%
36	17.888	17.831	17.903	BV	314213	4342548	74.52%	2.336%

rteres									
37	17.923	17.903	18.028	VB	326683	4160526	71.40%	2.238%	
38	18.144	18.098	18.221	BB	330102	4320284	74.14%	2.324%	
39	18.323	18.258	18.391	BB	314882	4264945	73.19%	2.294%	
40	18.713	18.508	18.805	BB	9510	224343	3.85%	0.121%	
41	19.102	19.059	19.138	PV	280492	3895798	66.86%	2.095%	
42	19.837	19.758	19.905	BB	258647	3614942	62.04%	1.944%	
43	20.538	20.235	20.598	BB	220232	3460908	59.39%	1.861%	
44	21.346	21.255	21.445	BB	166414	3498302	60.04%	1.881%	
Sum of corrected areas:					185931782				

Instrument :
FID_D
ClientSampleId :
TP3-1-6FTMSD

Manual Integrations
APPROVED

mohammad
8/17/2021 3:46:19 PM

Alaphatic EPH 080321.M Tue Aug 17 11:50:38 2021