

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD082322AR\
 Data File : FD043724.D
 Signal(s) : FID2B.ch
 Acq On : 23 Aug 2022 23:50
 Operator : YP/AJ
 Sample : 10 PPM AROMATIC HC STD4
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 10 PPM AROMATIC HC STD4

Integration File: autoint1.e
 Quant Time: Aug 24 02:36:27 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 24 02:27:55 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.488	1708999	9.961 ug/ml
Spiked Amount 50.000		Recovery =	19.92%
6) S 2-Fluorobiphenyl (SURR)	8.349	952971	8.957 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	17.91%
11) S ortho-Terphenyl (SURR)	11.375	2169022	10.603 ug/ml
Spiked Amount 50.000		Recovery =	21.21%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.288	2017558	10.234 ug/ml
2) T Naphthalene (C11.7)	5.828	2061303	10.294 ug/ml
3) T 2-Methylnaphthalene (...)	6.877	1842862	10.268 ug/ml
5) T Acenaphthylene (C15.06)	8.147	2043560	10.348 ug/ml
7) T Acenaphthene (C15.5)	8.437	2252272	10.848 ug/ml
8) T Flouorene (C16.55)	9.223	1965960	10.238 ug/ml
9) T Phenanthrene (C19.36)	10.616	1789753	9.812 ug/ml
10) T Anthracene (C19.43)	10.694	2103835	10.999 ug/ml
12) T Fluoranthene (C21.85)	12.423	1873965	10.312 ug/ml
13) T Pyrene (C20.8)	12.718	1925066	10.436 ug/ml
14) T Benzo[a]anthracene (C...	14.588	1384538	9.141 ug/ml
15) T Chrysene (C27.41)	14.630	2138279	11.687 ug/ml
16) T benzo[b]fluoranthene ...	16.132	1433828	9.592 ug/ml
17) T Bnezo[k]fluoranthene ...	16.164	1902735	11.467 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.520	1474236	10.129 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.881	927734	8.438 ug/ml
20) T Dibenz[a,h]anthracene...	17.920	1519920	10.703 ug/ml
21) T Benzo[g,h,i]perylene ...	18.127	1313591	10.172 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD082322AR\
Data File : FD043724.D
Signal(s) : FID2B.ch
Acq On : 23 Aug 2022 23:50
Operator : YP/AJ
Sample : 10 PPM AROMATIC HC STD4
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4

Integration File: autoint1.e
Quant Time: Aug 24 02:36:27 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Wed Aug 24 02:27:55 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

