

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD082520AL\
 Data File : FD034523.D
 Signal(s) : FID2B.CH
 Acq On : 25 Aug 2020 19:52
 Operator : DD\AJ
 Sample : L3784-16
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 RO-04

Integration File: autoint1.e
 Quant Time: Aug 26 02:36:29 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 073120.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 03 10:13:24 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.603	3482950	26.570 ug/ml
Spiked Amount 50.000		Recovery =	53.14%
12) S 1-chlorooctadecane (S...	13.032	2786320	25.917 ug/ml
Spiked Amount 50.000		Recovery =	51.83%
Target Compounds			
6) T n-Tetradecane (C14)	8.309	178855	1.531 ug/ml
10) T n-Eicosane (C20)	12.649	347924	2.818 ug/ml
14) T n-Tetracosane (C24)	14.857	194892	1.557 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD082520AL\
Data File : FD034523.D
Signal(s) : FID2B.CH
Acq On : 25 Aug 2020 19:52
Operator : DD\AJ
Sample : L3784-16
Misc :
ALS Vial : 60 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
RO-04

Integration File: autoint1.e
Quant Time: Aug 26 02:36:29 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 073120.M
Quant Title : GC Extractables
QLast Update : Mon Aug 03 10:13:24 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#6 n-Tetradecane (C14)


R.T.: 8.309 min
Delta R.T.: 0.045 min
Response: 178855
Conc: 1.53 ug/ml

Instrument :
FID_D
ClientSampleId :
RO-04




#9 ortho-Terphenyl (SURR)

R.T.: 11.603 min
Delta R.T.: -0.019 min
Response: 3482950
Conc: 26.57 ug/ml




#10 n-Eicosane (C20)

R.T.: 12.649 min
Delta R.T.: 0.045 min
Response: 347924
Conc: 2.82 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.032 min
Delta R.T.: -0.016 min
Response: 2786320
Conc: 25.92 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.857 min
Delta R.T.: -0.041 min
Response: 194892
Conc: 1.56 ug/ml

Instrument :
FID_D
ClientSampleId :
RO-04