

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD082520AL\
 Data File : FD034539.D
 Signal(s) : FID2B.CH
 Acq On : 26 Aug 2020 5:36
 Operator : DD\AJ
 Sample : L3791-05
 Misc :
 ALS Vial : 74 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Aug 26 07:45:12 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 073120.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 03 10:13:24 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.602	4769229	36.382 ug/ml
Spiked Amount 50.000		Recovery =	72.76%
12) S 1-chlorooctadecane (S...	13.030	3695214	34.371 ug/ml
Spiked Amount 50.000		Recovery =	68.74%
Target Compounds			
6) T n-Tetradecane (C14)	8.309	188384	1.612 ug/ml
14) T n-Tetracosane (C24)	14.856	120746	0.965 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD082520AL\
Data File : FD034539.D
Signal(s) : FID2B.CH
Acq On : 26 Aug 2020 5:36
Operator : DD\AJ
Sample : L3791-05
Misc :
ALS Vial : 74 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Aug 26 07:45:12 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 073120.M
Quant Title : GC Extractables
QLast Update : Mon Aug 03 10:13:24 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#6 n-Tetradecane (C14)


R.T.: 8.309 min
Delta R.T.: 0.045 min
Response: 188384
Conc: 1.61 ug/ml

Instrument :
FID_D
ClientSampleId :




#9 ortho-Terphenyl (SURR)

R.T.: 11.602 min
Delta R.T.: -0.020 min
Response: 4769229
Conc: 36.38 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.030 min
Delta R.T.: -0.018 min
Response: 3695214
Conc: 34.37 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.856 min
Delta R.T.: -0.042 min
Response: 120746
Conc: 0.96 ug/ml