

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083022AR\
 Data File : FD043770.D
 Signal(s) : FID2B.ch
 Acq On : 30 Aug 2022 21:34
 Operator : YP/AJ
 Sample : N4421-04
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-PALM-SP-01-GR

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/31/2022
 Supervised By :Ankita Jodhani 08/31/2022

Integration File: autoint1.e
 Quant Time: Aug 31 03:55:34 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 25 11:00:10 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.448	9046538	52.358 ug/ml
Spiked Amount 50.000		Recovery =	104.72%
6) S 2-Fluorobiphenyl (SURR)	8.304	4316713	42.913 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	85.83%
11) S ortho-Terphenyl (SURR)	11.344	5752515	27.496 ug/ml
Spiked Amount 50.000		Recovery =	54.99%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083022AR\
Data File : FD043770.D
Signal(s) : FID2B.ch
Acq On : 30 Aug 2022 21:34
Operator : YP/AJ
Sample : N4421-04
Misc :
ALS Vial : 57 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-PALM-SP-01-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/31/2022
Supervised By :Ankita Jodhani 08/31/2022

Integration File: autoint1.e
Quant Time: Aug 31 03:55:34 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Thu Aug 25 11:00:10 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.448 min
Delta R.T.: -0.015 min
Response: 9046538
Conc: 52.36 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-PALM-SP-01-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/31/2022
Supervised By :Ankita Jodhani 08/31/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.304 min
Delta R.T.: -0.017 min
Response: 4316713
Conc: 42.91 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.344 min
Delta R.T.: -0.006 min
Response: 5752515
Conc: 27.50 ug/ml