

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083022AR\
 Data File : FD043772.D
 Signal(s) : FID2B.ch
 Acq On : 30 Aug 2022 23:13
 Operator : YP/AJ
 Sample : N4421-09D
 Misc :
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-PALM-SP-02-GR

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/31/2022
 Supervised By :Ankita Jodhani 08/31/2022

Integration File: autoint1.e
 Quant Time: Aug 31 03:55:51 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 25 11:00:10 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.445	6736422	38.988 ug/ml
Spiked Amount 50.000		Recovery =	77.98%
6) S 2-Fluorobiphenyl (SURR)	8.300	3547787	35.269 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	70.54%
11) S ortho-Terphenyl (SURR)	11.340	4355041	20.817 ug/ml
Spiked Amount 50.000		Recovery =	41.63%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083022AR\
Data File : FD043772.D
Signal(s) : FID2B.ch
Acq On : 30 Aug 2022 23:13
Operator : YP/AJ
Sample : N4421-09D
Misc :
ALS Vial : 59 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-PALM-SP-02-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/31/2022
Supervised By :Ankita Jodhani 08/31/2022

Integration File: autoint1.e
Quant Time: Aug 31 03:55:51 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Thu Aug 25 11:00:10 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.445 min
Delta R.T.: -0.018 min
Response: 6736422
Conc: 38.99 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-PALM-SP-02-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/31/2022
Supervised By :Ankita Jodhani 08/31/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.300 min
Delta R.T.: -0.021 min
Response: 3547787
Conc: 35.27 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.340 min
Delta R.T.: -0.011 min
Response: 4355041
Conc: 20.82 ug/ml